State Well No. 10/46-10 P

of well completion.	G3462 State Permit No		***************************************
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level		
Name Mr. Howard L. Ball	Was a pump test made? Y Yes \ No If yes, by who		
Address Route 4, Box 442	Yield: 350 gal./min. with] ft. drawdo		mes
Albany, Oregon	" " "		
(2) LOCATION OF WELL:	" " "		
` '	Bailer test gal./min. with ft. drawd	lown after	hrs.
County Benton Driller's well number	Artesian flow g.p.m. Date		
¼ ¼ Section 10 T. 10S R. LW W.M.	Temperature of water 480 Was a chemical analysis	mate? 🔲 🛚	Yes 👿 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below c		
	25	_	717 a.
	Depth drilled 37 ft. Depth of completed we		
	Formation: Describe by color, character, size of materishow thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each of	the materi	ial in each formation.
(3) TYPE OF WORK (check):	MATERIAL	FROM	то
Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 12.			·
it abandonment, describe material and procedure in item 12.			
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Top soil	0	31_
Domestic Industrial Municipal Rotary Driven	D	+	
Irrigation Test Well □ Other □ Cable ▼ Jetted □ □ Dug □ Bored □	Brown clay	31	161
(A) CACTAC TAXONATA TAND	Med. gravel & clay	761	281
Throward Western	med. gravel & Clay	10.	
"Diam. from ft. to ft. Gage 10 "Diam. from 1 ft. 8bove land surface to	Med. gravel & sand	281	371
"Diam. from 37 ft. below land surface	water bearing	1 20	
The state of the s	TV CV		
(7) PERFORATIONS: Perforated → Yes □ No			
Type of perforator used Cutting torch			1
Size of perforations 3/8in. by 8 in.			
perforations from	,		
60 perforations from2.6ft. to35ft.		ļ i	
perforations from ft. to ft.			* +-
perforations from ft. to ft.		<u> </u>	
perforations from ft. to ft.		1	· · · · · · · · · · ·
(8) SCREENS: Well screen installed? ☐ Yes 💆 No		1	Sa27
Manufacturer's Name		1	
Model No.			
Diam Slot size Set from ft. to ft.	Work started Dec. 8. 1965 Completed	Dec. 1	3. 19 6
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well	Dec. 1	3, 19 6
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in seal Bentonite	Manufacturente No		
Depth of seal	Manufacturer's Name Type: H.P.		
Diameter of well bore to bottom of seal			
Were any loose strata cemented off? Tyes I No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? M Yes □ No	This well was drilled under my jurisdiction	and this	report is
Was well gravel packed? K Yes ☐ No Size of gravel:#2round	true to the best of my knowledge and belief.		
Gravel placed from	NAME ART CLINTON WELL DRILLING CO.		
Did any strata contain unusable water? 🗌 Yes 🗍 No	(Person, firm or corporation) (T	ype or print	•
Type of water? depth of strata	Address Rt. 1, Box 2, Independence	, Oreg	on 973
Method of sealing strata off	Drilling Machine Operator's License No. 31		
(10) WATER LEVELS:		***************************************	***************************************
Static level 16 ft. below land surface Date 12/9/65	[Signed] (Water Well Contractor)		
Artesian pressure lbs. per square inch Date	Contractor's License No. 14 Date Janua		1066
por oquaro arom arom			