NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

Bent 1743

State Well No. 10/4w-15

STATE OF OREGON (Please type or print)

G-3829

State Permit No.

| (1) OWNER: | (11) WELL TESTS: Drawdown is amount water I | evel is | |
|---|---|---------------|--|
| Name Mr. Leland Hill | lowered below static level Was a pump test made? ▼ Yes □ No If yes, by whom? □ | i 1 7 | |
| Address Rt. 4, Box 520 L | Yield: 300 gal./min. with -0- ft. drawdown after | | |
| Albany, Oregon | n n | " | |
| (2) LOCATION OF WELL: | " " | " | |
| County Benton Driller's well number | Bailer test gal./min. with ft. drawdown aft | er hrs. | |
| 14 14 Section 15 T. 10 N R. 11 W W.M. | Artesian flow g.p.m. Date | | |
| Bearing and distance from section or subdivision corner | Temperature of water 50° Was a chemical analysis made? |] Yes □ No | |
| | (12) WELL LOG: Diameter of well below casing | | |
| | Depth drilled 31 ft. Depth of completed well | 31 ft. | |
| | | | |
| | Formation: Describe by color, character, size of material and st show thickness of aquifers and the kind and nature of the mat stratum penetrated, with at least one entry for each change of | erial in each | |
| | | | |
| (3) TYPE OF WORK (check): | MATERIAL FROM | TO | |
| Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ | Ton goil | | |
| n-abandonment, describe material and procedure in Item 12. | Top soil 0 | 31 | |
| (4) PROPOSED USE (check): (5) TYPE OF WELL: | Brown clay 3 | 1 201 | |
| Rotary C Driven C | DIOWIL CLAY | - 20- | |
| Cable X Jetted | Med. gravel and sand 20 | 1 371 | |
| Trigation Trigation Trigation Dug Dug Bored | (water bearing) | | |
| (6) CASING INSTALLED: Threaded □ Welded 🕅 | | | |
| | | | |
| 10." Diam. from 1 ft. to bove land asserface to | | | |
| "Diam. from 31 ft. thelow land sugeface | | | |
| (7) PERFORATIONS: Perforated? Yes \(\subseteq \) No | | | |
| 2 02101dtcd. <u>pg</u> 2 05 [] 110 | | | |
| Type of perforator used Cutting torch Size of perforations 3/8 in. by 8 in. | | | |
| | | | |
| perforations from ft. to ft. to 30° 10° ft. | | | |
| perforations from ft. to ft. | | | |
| perforations from ft. to ft. | | | |
| perforations from | | | |
| (8) SCREENS: Well screen installed? ☐ Yes ☐ No | | | |
| Manufacturer's Name | | | |
| Model No. | | | |
| Diam Slot size Set from ft. to ft. | 0/78//8 | 7 | |
| Diam Slot size Set from ft. to ft. | | 57 19 | |
| (9) CONSTRUCTION: | Date well drilling machine moved off of well 2/22/6 | 19 | |
| | (13) PUMP: | | |
| Well seal—Material used in sealBentonite | Manufacturer's Name | ******** | |
| Depth of sealft. Was a packer used? | Type: H.P | | |
| Diameter of well bore to bottom of seal | Water Well Contractor's Certification: | | |
| Were any loose strata cemented off? 🗆 Yes 🔁 No Depth | | | |
| Was a drive shoe used? ▼ Yes □ No Was well gravel packed? ▼ Yes □ No Size of gravel: #2_round | This well was drilled under my jurisdiction and thi true to the best of my knowledge and belief. | s report is | |
| Gravel placed from | | | |
| | NAME ART CLINTON WELL DRILLING CO. (Person, firm or corporation) (Type or print) | | |
| Did any strata contain unusable water? Yes No Type of water? depth of strata | Address Rtal, Box 2, Independence, Oregon 97351 | | |
| Type of water? depth of strata Method of sealing strata off | Address | | |
| | Drilling Machine Operator's License No. 34 | | |
| (10) WATER LEVELS: | [Signed] and Clinton | | |
| Static level 10 ft. below land surface Date 2/21/67 | [Signed] (Water Well Contractor) | | |
| Artesian pressure lbs. per square inch Date | Contractor's License No. 14 Date February 24, 19 67 | | |
| | | | |