

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

RECEIVED AUG 29 1968

(Please type or print) (Do not write above this line)

Bent 1746

State Well No. 10/4w-15 R

State Permit No. G-4533 6-7575

STATE ENGINEER SALEM OREGON

(1) OWNER:

Name Mr. Russell D. Underwood Address Rt. 4, Box 526, Albany, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [X] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [X] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

Threaded [ ] Welded [X] 10" Diam. from 1 ft. above land surface to 40 ft. below land surface

(6) PERFORATIONS:

Perforated? [X] Yes [ ] No. Type of perforator used Cutting torch Size of perforations 1/2 in. by 8 in. 62 perforations from 28 ft. to 38 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 13 ft. below land surface Date 7-26-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [ ] Yes [X] No If yes, by whom? Bailer test 40 gal./min. with -0- ft. drawdown after 1 hrs. Temperature of water 48 degrees Was a chemical analysis made? [ ] Yes [X] No

(10) CONSTRUCTION:

Well seal-Material used Bentonite & heavy clay Depth of seal 18 ft. Diameter of well bore to bottom of seal 13 in. Were any loose strata cemented off? [ ] Yes [X] No Depth Was a drive shoe used? [X] Yes [ ] No Did any strata contain unusable water? [ ] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [X] Yes [ ] No Size of gravel: Pea gravel Gravel placed from 18 ft. to 40 ft.

(11) LOCATION OF WELL:

County Benton Driller's well number 1/4 1/4 Section 1/5 T. 10 R. 4 W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing -0- Depth drilled 40 ft. Depth of completed well 40 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top Soil, Sandy Clay - Brown, Coarse sand & Med. Gravel (Water bearing).

Work started July 23, 1968 Completed July 29, 1968 Date well drilling machine moved off of well July 30, 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Art Clinton Date Aug. 27, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 34

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME ART CLINTON WELL DRILLING CO. (Person, firm or corporation) (Type or print)

Address Rt. 1, Box 2, Independence, Oregon 97351

[Signed] Art Clinton (Water Well Contractor)

Contractor's License No. 14 Date August 27, 1968