NOTICE TO WATER WELL CONTROCTOR

The original and first copy of this report are to be filed with the

Alica STATE OF OREGON of this report are to filed with the AUG 3 1970 Lease type or print)

STATE ENGINEER, SALEM, OFFICON 973106 3 1970 Lease type or print)

within 30 days from the date 4 TE ENGINEER (Do not write above this line) State Well No. 10/460-2. (10) LOCATION OF WELL: (1) OWNER: Fir View Homes Addition Driller's well number County 110 W. 2nd. Albany. Oregon NE 14 NW 4 Section 23 T. 10S R. 4W Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [7] Abandon | Deepening [New Well 🛛 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary X Driven | Domestic | Industrial | Municipal | Static level ft. below land surface. Date Cable Jetted [Irrigation | Test Well | Other Bored 🗍 Dug Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded [Welded [(12) WELL LOG: Diameter of well below casing "Diam from 0 ft. to 100 ft. Gage 250 350 ft. Depth of completed well 350 Depth drilled " Diam, from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; _____ ft. to and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? | Yes X No. MATERIAL. Type of perforator used Brown clay in. by Size of perforations Blue <u>sand</u> 17 15 _____ perforations from _____ ft. to ____ 17 Grey sand 29 ___ perforations from _____ ft. to _____ ft. Green sandy clav 29 40 perforations from _____ ft. to ____ ft. Blue sandy clav — 40 50 (7) SCREENS: Well screen installed? ☐ Yes ☐ No Blue soft sandstone 50 Manufacturer's Name Blue sandstone 55 60 Blue sandy claystone 70 60 Grey sandstone Diam. Slot size Set from ft. to ft. 70 Blue-grey sandstone 90 Blue sand rock 90 סוו Drawdown is amount water level is lowered below static level (8) WELL TESTS: Grey sandy <u>claystone</u> Slightly fracture<u>d blue</u> Was a pump test made? \(\begin{aligned} \text{Yes} & \overline{\text{D}} & \text{No If yes, by whom?} \end{aligned} sandrock 25 gal./min. with ft. drawdown after Grey sand<u>stone</u> 130 215 Hard grev sand rock 215 217 ATR Grey sand rock 217 gal./min. with 334ft. drawdown after Bajler test Blue sand rock Brown sandstone Artesian flow g.p.m. Work started 7/24 1970 Completed 1970 aperature of water 50 Depth artesian flow encountered Date well drilling machine moved off of well (19) CONSTRUCTION: Drilling Machine Operator's Certification: Cement Well seal-Material used ... This well was constructed under my direct supervision. 100 Well sealed from land surface to Materials used and information reported above are true to my best knowledge and belief. Diameter of well bore to bottom of seal Date 7-3/ 1970 Diameter of well bore below seal Number of sacks of cement used in well seal Drilling Machine Operator's License No. ... Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is This well was drilled under my jurisdates true to the best of my knowledge and belief.

Name Schoen Electric & Pump

(Type or print) Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? 🗌 Yes 🛣 No Queen, Address 626 W. Type of water? Method of sealing strata off [Signed] (... (Water Well Contractor) Was well gravel packed? ☐ Yes [XNo Size of gravel: ... 513 Date __/ Contractor's License No.

WATER WELL REPORT