## NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

## WATER WELL REPORT

State Well No.

of well completion.	State Permit No.
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Name OREGON STATE UNIVERSITY	Was a pump test made? ☐ Yes 🕅 No If yes, by whom?
Address Corvallis, Oregon	Yield: gal./min. with ft. drawdown after hrs.
And the first terms of the second sec	" " "
(2) LOCATION OF WELL:	7) 7) 7) 7) 7) 7)
County Benton Driller's well number	Bailer test 50 gal./min. with 44ft. drawdown after 2 hrs.
7 77 7 1 77	Artesian flow g.p.m. Date
34 34 Section 7 T. 11 S R. 4 W.M. Bearing and distance from section or subdivision corner W.B.&M.	Temperature of water ∜8 Was a chemical analysis made? ☐ Yes ☐ No
bearing and distance from section of subdivision confer	(12) WELL LOG: Diameter of well below casing
	1- 74 2740
	Depth drilled ft. Depth of completed well ft.
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
	stratum penetratea, with at least one entry for each change of formation.
(9) MYDE OF WORK (-LL).	MATERIAL FROM TO
(3) TYPE OF WORK (check):	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon 🔀	Jap Soil 0 4
andonment, describe material and procedure in Item 12.	Blown Clay 4 20
(4) PROPOSED USE (check): (5) TYPE OF WELL:	
Domestic ☐ Industrial ☐ Municipal ☐ Rotary ☐ Driven ☐	Clay & med, Gravel 20 38
Cable Jetted	
Irrigation M Test Well   Other   Dug   Bored	Brown Sandy Clay 38' 56
(6) CASING INSTALLED: Threaded □ Welded □	(water heading)
	Blue Clay 1 56 74"
(7) PERFORATIONS: Perforated? T Yes T No	
7 7 2 2 2 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2	
Type of perforator used	Abandened and
Size of perforations in. by in.	Well was sealed with
perforations fromft. toft.	Bentonite and clay down to 18 feet
perforations fromft. toft.	
perforations fromft. toft.	
perforations from ft. to ft ft.	
(8) SCREENS: Well screen installed? ☐ Yes ☐ No	
Manufacturer's Name	
Model No.	
Slot size ft. to ft.	Work started June 2, 1964. Completed 6-9 1965
Diam. Slot size Set from ft. to	Work started June 2, 1964. Completed 6 - 9 1965  Date well drilling machine moved off of well June 9, 1964
(9) CONSTRUCTION:	(13) PUMP:
	(15) I CMI.
Well seal—Material used in seal	Manufacturer's Name
Depth of seal	Type: H.P.
Diameter of well bore to bottom of seal in.	Water Well Contractor's Certification:
Were any loose strata cemented off? Yes No Depth	
Was a drive shoe used?  Yes  No	This well was drilled under my jurisdiction and this report is
Was well gravel packed? ☐ Yes ☐ No Size of gravel:ft.	true to the best of my knowledge and belief.
	NAME ART CLINTON WELL DRILLING CO.
Did any strata contain unusuable water?   Yes  No	(Ferson, firm or corporation) (Type or print)
Type of water? depth of strata	Address Route 1, Box 2, Independence, Oregon
Method of sealing strata off	Drilling Machine Operator's License No. 34
(10) WATER LEVELS:	0/1/04
static level 30 ft. below land surface Date 6-2-64	[Signed] (Water Well Costmotor)
artesian pressure lbs, per square inch Date	(Water Well Contractor)  Contractor's License No. 14 Date July 1, 1964
	Contractor's License No. 14 Date July 1, 1964