## The original and first copy of this report are to be a considered of this report are to be a considered with the filed with the state engineer, salem, or egod of 319 1969 STATE OF OREGIN FEB 5 1970 state with the state of the considered sale of the co

	<b>M</b> 44	g I	11/	11111	_ (
5	1970⁵¹	e Well No.	11/	4 11	

within 30 days from the date
of well complete TATE ENGINEER

OF WELL COMPLETED OF TATE ENGINEER

OF WELL COMPLETED OF TATE ENGINEER

SALEM. OREGON

SALEM OREGON VV				
(1) OWNER: 2616	(11) LOCATION OF WELL:			
Name Garland Nursery	County Benton Driller's well n	umber		
Address 5470 N.E. Hwy.20	15 18 1/2 Section 11s T. 4	W R.		W. <u>M</u> .
Corvallis, Oregon	Bearing and distance from section or subdivision			
(2) TYPE OF WORK (check):	Detring and distance from Section of Subdivision	<u> </u>		
New Well 👫 Deepening 🗌 Reconditioning 🗌 Abandon 🗌	<del></del>		•	
If abandonment, describe material and procedure in Item 12.	-			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well			
Rotary Driven Domestic Industrial Municipal Domestic	/ 4		1g6	ā
Dug Bored I Irrigation Test Well Other				
CASING INSTALLED: Threaded D Welded W	Formation: Describe color, texture, grain size and show thickness and nature of each strate			
CASING INSTALLED: Threaded Welded X	with at least one entry for each change of form in position of Static Water Level as drilling pr			
"Diam from 64 to 64 Cored 250		1		
" Diam from ft. to ft. Gage	MATERIAL	From	To	SWL
	topsoil	<del>  9  </del>	خ	
PERFORATIONS: Perforated? ★ Yes □ No.	gray clay	3	9_	
Type of perforator used Acetylene	yellow clay	9 1	15 20	
Size of perforations 25 tn. by 6 in.	gray sand	15	_29 38	
25 perforations from 54 n to 60 n.	brown sand & grit	38	52 52	
perforations from ft. to ft.	cemented med.gravel	1 Jul	_24	
perforations from ft. to ft.	loose gravel water barring 30 gpm	52	61_	
perforations from ft. to ft.		1 22		
perforations from ft. to ft.				
(7) SCREENS: Well screen installed?  Yes X No				
(1) SCREENS: Well screen installed? Yes X No				
Type Model No.				
Diam. Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.		<del>                                     </del>		
		+		<del></del> -
(8) WATER LEVEL: Completed well.  Static level 35 ft. below land surface Dat 6/3/69	<u> </u>	+		
Static level 35 ft. below land surface Dat 6/3/69				
sian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made?				
Yield: 30 gal./min. with 5 ft. drawdown after 3 hrs	Work started 5/29/ 1969 Comple	ted 6/3	3/	19 6
<b>3</b> 0 " 2½ " 2 "	Date well drilling machine moved off of well	6/	′3/	19J <b>6</b>
<u> </u>	Drilling Machine Operator's Certification:			· <u> </u>
The land and the l	This well was constructed under my d		rvision	. Mate-
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported abo			
Artesian flow g.p.m. Date	1		./or/	<u>.</u>
Temperature of water 52 Was a chemical analysis made? ☐ Yes ♣ No	[Signed] Rim Witham (Drilling Machine Operator)	Date	2/4.2/.	., 199.5
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	4		
Well seal-Material used drilled with Bentonit	e Printing Machine Operator's License No.	ان.۱۷.کر 		***********
Depth of seal 20 ft ft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisc		d this r	eport is
Were any loose strata cemented off?   Yes No Depth	true to the best of my knowledge and bel		. d :-	(4 + h ~
Was a drive shoe used? ☐ Yes	NAME Raymond C. Gellatly & (Person, firm or corporation)	Type (Type	1 S.W	тгов
Did any strata contain unusable water?   Yes 1 No			•	
Type of water? depth of strata	Address PO.Box 1, Philomat		SECTI.	. <u></u>
Method of sealing strata off	[Signed] Paymond (	Tell	atl	4
Was well gravel packed?   Yes 1 No Size of gravel:	(Water Well Contra	ictor)	0	11
Gravel placed from ft. to ft.	Contractor's License No. 77 Date	5/25		1967
	,		,	

**F** 

TO WATER WALLS The original and first copy NOTICE TO WATER WELL CONTRACTOR Bent State Well No. 11/4W-8 STATE ENGINEER, SALEM, OFFECON 1913 2 1 1971 STATE OF OREGON within 30 days from the date of well completion TANE EN CONTROLL AND NOT WELL AND N COPY A FOrm Si fiers write above this line) State Permit No. .... (10) LOCATION OF WELL: (1) OWNER: Garland Nursery Benton Driller's well number Name County 5470 NE Hwy 20 T. lls R. 8 14 Section Address Corvallis, Oregon 97330 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Deepening [ Abandon 🛚 Reconditioning | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🛘 Static level 35 Domestic | Industrial | Municipal | ft. below land surface. Jetted □ Bored 🔲 Irrigation X Test Well Other Dug Artesian pressure lbs, per square inch. Date Threaded Welded 250 CASING INSTALLED: (12) WELL LOG: Diameter of well below casing 6 " Diam. from 0 ft. to .... ft. Depth of completed well Depth drilled " Diam. from ...... ft. to ..... ft. Gage ..... Formation: Describe color, texture, grain size and structure of materials; ...." Diam. from ...... ft. to ...... ft. Gage ...... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? [XYes | No. Type of perforator used acetylene MATERIAL From topsoil Size of perforations 🗼 in. by 25 perforations from 54 ft. to gray clay 3 9 15 yellow clay perforations from ...... ft. to ..... ft. 15 29 gray sand perforations from ...... ft. to 38 brown sand & grit (7) SCREENS: 38 52 Well screen installed? ☐ Yes 😾 No cemented med. gravel Manufacturer's Name ..... loose gravel water bearing 30 gpm Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? N Yes □ No If yes, by whom? 30 Yield: gal./min. with ft. drawdown after hrs. ft. drawdown after Bailer test gal./min. with Artesian flow g.p.m. Work started 5-29-69 6-3-69 Temperature of water 52 Depth artesian flow encountered ...... ft. Completed 19 19 6-3-69 Date well drilling machine moved off of well (J) CONSTRUCTION: Well seal—Material used drilled with bentonite Drilling Machine Operator's Certification: Well sealed from land surface to 25 This well was constructed under my direct supervision. Materials used and information/reported above are true to my best knowledge and bilief. Diameter of well bore to bottom of seal ...... [Signed] (Drilling (Drilling Machine Operator) ..... Date ............ Number of sacks of cement used in well seal Drilling Machine Operator's License No. ..... Number of sacks of bentonite used in well seal ...... sacks Brand name of bentonite ..... Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallona This well was drilled under my jurisdiction and this report is ......lbs./100 gals. true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs ..... Size: location ..... ft. Name Raymond C. Gellatly and Ronald S. Witham Did any strata contain unusable water? 🗌 Yes 💢 No (Person, firm or corporation) PO Box 1, Philomath, Oregon 97370 Address .... Type of water? depth of strata Method of sealing strata off

Contractor's License No.

Was well gravel packed? ☐ Yes ☐ No Size of gravel: .....

Gravel placed from ...... ft. to ..... ft.



Last Update: 2/2/16

## Application for Well ID Number

Do not complete if the well already has a Well Identification Number.

RECEIVED

JUN 01 2016

I. <u>OWNER INFORMATION</u>	WATER RESGURCES DEPT							
Current Owner Name (please print): Sandra & Donald Powell	SALEM, OREGON							
Mailing Address: 5474 NE Highway 20	<u>.</u>							
City, State, Zip: Corvallis, OR 97330								
Mail Well ID Tag to: SAME AS ABOVE In Care Of (C/O)								
Name & Address: L121636								
City, State, Zip:								
II. WELL LOCATION INFORMATION (Please fill out as completely as possible)								
Township: 11S (North / South) Range: 4W (East / West) Section: 08	1/4 of the <i>SW</i> 1/4							
Tax Lot (usually last 3-5 numbers of Tax Map #): 1600 County Bento	<u>n</u>							
GPS Coordinates: Latitude 44.624925088 Longitude -123.207357349								
Street Address of Well, City: 5474 NE Highway 20, Corvallis, OR 97330								
If the property had a different street address in the past:								
III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of W	Vell Log, if available)							
Use of Well (domestic, irrigation, commercial, industrial, monitoring):	<i>3. 7</i>							
Date Well Constructed (or property built):1930 House Total Well Depth: Casin	g Diameter: Below Grade							
Owner at time the well was constructed (if known): Garland Nursery / Powel   Well Log # (if known):								
Other Information: 1930 House, 1965 House, 1969 Mobile Home (decommissioned), 1999 M	obile Home							
SUBMITTED BY (please print): Robert N. Turkisher (Benton County Environmental Health)								
PHONE: 541-766-6841 EMAIL &/or FAX: 541-766-6248								
Send application to: Oregon Water Resources Department 725 Summer St NE, Suite A, Salem, Oregon 97301; or fax to (503) 986-0902. Applications are processed in the order they are received, and Well ID Numbers are mailed within 4-5 business days.								
Applications are processed in the order they are received, and with 15 frameous are maried within 4.5 business as	., 5.							
For Official Use Only by the Oregon Water Resources Department:								
Received Date: Well Log Number:    lo -   -     BENT 26 6	L-121636							
6-1-16 BEN 1 2616								



## BENTON COUNTY ENVIRONMENTAL HEALTH ON-SITE SEWAGE DISPOSAL SYSTEM PLOT PLAN

Owner: Sandra & Donald Powell Date: 05/25/16

**Applicant: Same** 


Assessor's Map and Tax Lot Numbers: 11-4-08 TL 1600 Address: 5474 NE Highway 20, Corvallis, OR 97330 SITE:

PERMIT: 138-16-000026,27,28 - IVGN

TYPE: System Evaluation

Parcel: Proposed Parcels 1,2,& 3

Scale: 1 inch = 200 feet



RECEIVED

JUN 01 2016

0 100 200 400 Feet

