

RDIC Original (Old) Well Bent 4130 West Day 1973

NOTICE TO WATER WELL CONTRACTOR

BENT 4130

The original and first copy of this report to be filed with the

RECEIVED MAY 4 - 1971 STATE ENGINEER SALEM OREGON

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 11/5W-32 State Permit No. G-6854 #2

(1) OWNER:

Name Howard Martin & Bob Bunn Address 7985 N.W. Ridgewood Dr. Corvallis, Oregon

(2) TYPE OF WORK (check):

New Well [ ] Deepening [x] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in item 12.

(3) TYPE OF WELL:

Rotary [x] Driven [ ] Cable [ ] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [x] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

CASING INSTALLED:

Threaded [ ] Welded [ ] Diam. from None Added ft. Gage

PERFORATIONS:

Perforated? [ ] Yes [x] No Type of perforator used Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [ ] Yes [x] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 30 gal./min. with 11 ft. drawdown after 6 hrs.

CONSTRUCTION:

Well seal—Material used Well sealed from land surface to ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [ ] Yes [ ] No Plugs Size: location ft. Did any strata contain unusable water? [ ] Yes [ ] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [ ] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Benton Driller's well number H.M.4 1/4 Section 32 T.11S R. 5W W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft. Static level 100 ft. below land surface. Date 4/25/71 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing Six ft. Depth drilled 90 ft. Depth of completed well 313 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows: BASALT, BLACK w/QUARTZ 223 268 100; BASALT, BLACK, broken 268 274; WATER STRATUM; BASALT, BLACK w/QUARTZ 274 313

Well Drilled to 223 feet. APRIL 12, 1968 to APRIL 21, 1968

Work started APRIL 11 1971 Completed APRIL 15 1971 Date well drilling machine moved off of well APRIL 15 1971

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Troy W. Mutschler Date 4/25, 1971 Drilling Machine Operator's License No. 80

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name L.W. Mutschler well Drilling Address 7555 N.W. Oak Creek Dr. Corvallis, Oregon [Signed] Troy W. Mutschler (Water Well Contractor) Contractor's License No. 237 Date April 25, 1971