





WELL "C"

**RECEIVED**

SEP 27 1977

WATER RESOURCES DEPT  
SALEM, OREGON

<u>MATERIAL</u>	<u>FROM</u>	<u>TO</u>
SOFT BROWN CLAYEY SILT	0'	23'
WET BROWN SANDY SILT	23'	28'
FINE BLACK-GREY SAND	28'	33'
BROWN SANDY GRAVEL w/CORALS	33'	52'
BLUE-GREY CLAYEY SILT	52'	55'

WELL CASING & SCREEN

**RECEIVED**

AUG 14 2002

WATER RESOURCES DEPT  
SALEM, OREGON

1 1/4" INSIDE DIAMETER PVC PIPE

1/4" WALL THICKNESS

10' LENGTH OF SLOTTED SECTION (FROM 40' TO 50' DEPTH)

3/16" SLOT WIDTH

2 1/4" SLOT LENGTH

34 SLOTS/ROW/LIN. FT. OF PIPE

8 ROWS OF SLOTS AROUND PIPE

**Application No. G-8470**  
**Permit No.**

SEP 11 1977  
WATER RESOURCES DEPT  
SALEM, OREGON

CONSTRUCTION

WELL DRILLED WITH 30" BUCKET AUGER

3/8" MINUS 'GRIT' PLACED AS GRAVEL PACK AROUND LOWER PORTION OF PIPE.

WELL SEALED WITH CEMENT FROM LAND SURFACE TO 18' DEPTH.

WELL DRILLED 12 MARCH 1973