

Bent 5255 12/5w-21R  
13/6w-21

RECEIVED  
JUN 8 1965

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the  
STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.  
STATE ENGINEER OF OREGON  
SALEM, OREGON (Please type or print)

State Well No. G3265  
State Permit No.

(1) OWNER:  
Name C. A. Minty  
Address 100 Vera Dr, Corvallis, Oregon

(2) LOCATION OF WELL:  
County BENTON Driller's well number 12-65  
1/4 Section 21 T. 13-S R. 6 W W.M.  
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):  
Well  Deepening  Reconditioning  Abandon   
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check): Domestic  Industrial  Municipal  Irrigation  Test Well  Other   
(5) TYPE OF WELL: Rotary  Driven  Cable  Jetted  Dug  Bored

(6) CASING INSTALLED: Threaded  Welded   
6" Diam. from +1 ft. to 45 ft. Gage 250

(7) PERFORATIONS: Perforated?  Yes  No  
Type of perforator used TORCH  
Size of perforations 1/2 in. by 12 in.  
24 perforations from 45 ft. to 33 ft.

(8) SCREENS: Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(9) CONSTRUCTION:  
Well seal—Material used in seal BENTONITE  
Depth of seal 18 ft. Was a packer used? NO  
Diameter of well bore to bottom of seal 9 in.  
Were any loose strata cemented off?  Yes  No Depth \_\_\_\_\_  
Was a drive shoe used?  Yes  No  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Did any strata contain unusuable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(10) WATER LEVELS:  
Static level 8 ft. below land surface Date 5-26-65  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

(11) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom?  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
" " " " " "  
" " " " " "  
Bailer test 50 gal./min. with 20 ft. drawdown after 2 hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(12) WELL LOG: Diameter of well below casing 6  
Depth drilled 52 ft. Depth of completed well 52 ft.  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Top Soil	0	2
yellow Clay	2	12
Blue Clay	12	28
COURSE SAND & GRAVEL	28	45
YELLOW CLAY	45	47
Blue CLAY	47	52

Work started 5-14 1965 Completed 5-23 1965  
Date well drilling machine moved off of well 5-23 1965

(13) PUMP: Manufacturer's Name FAIRBANKS & MORSE  
Type: TURBINE H.P. 5

Water Well Contractor's Certification:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
NAME Valley Well Drillers  
(Person, firm or corporation) (Type or print)  
Address 3029 S. Pac. Blvd ALBANY  
Drilling Machine Operator's License No. 310  
[Signed] Edward Butts  
(Water Well Contractor)  
Contractor's License No. 253 Date 6-2 1965