BENT 55315

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

WELL I.D. LABEL# L	121174	-
START CARD#	1030168	
ORIGINAL LOG#		

(1) LAND OWNER Owner Well I.D. 5641	
First Name Clarence & Rosetta Last Name Venell	(9) LOCATION OF WELL (legal description)
Company Venell Farms	County BENTON Twp 13 S N/S Range 5 W E/W WM
Address 30742 Venell Ln. City Corvallis State OR Zip 97333	Sec <u>27 SE</u> 1/4 of the <u>SW</u> 1/4 Tax Lot <u>100</u>
	Tax Map Number Lot Lat o " or DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat or DMS or DD
(2a) PRE-ALTERATION	Long "or DMS or DD
Casing: To Gauge Stl Plstc Wld Thrd	Riley Farm, Corvallis, OR
Material From To Amt sacks/lbs Seal:	Taney Faint, Got Tanes, Gre
(3) DRILL METHOD X Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
Reverse Rotary Other	Existing Well / Pre-Alteration Completed Well 04-08-2016 2
	Flowing Artesian? Dry Hole?
(4) PROPOSED USE Domestic Irrigation Community Industrial/Commercial Livestock Dewatering	
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 25
	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	04-08-2016 25 80 800 2
Depth of Completed Well 40 ft.	
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs	
Dia From To Material From To Amt lbs 16 0 80 Bentonite 0 18 17 S	
10 80 90 Calculated 14	
Calculated	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material CFIVED BY OWRETON To
X Other Poured dry	Topsoil 0 2
Backfill placed from ft. to ft. Material	Brown clay 2 12
Filter pack from 18 ft. to 25 ft. Material Round rock Size 3/4	Blue clay MAY 1 6 2016 12 25
Explosives used: Yes Type Amount	Blue sand & gravel 25 30
	Sand & gravel 30 50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Blue sand & gravel SALEM, OR 50 80
Proposed Amount Pounds Actual Amount Pounds	Blue clay 80 90
(6) CASING/LINER	Pulled casing back and allowed to cave around pipe
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	
● ○ 12 × 2 80 250 ● ○ × □	
	RECEIVED BY
	JONES DRILLING CO., INC.
	29400 SANTIAM HWY.
Shoe Inside Outside Other Location of shoe(s)	LEBANON, OR 97355
Temp casing X yes Dia 16 From 0 To 80	
	541-367-2560 541-451-2686 SALEM OF
(7) PERFORATIONS/SCREENS Perforations Method Torch cut	1-800-915-8388 SALEM, OF
Screens Type Material Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started_04-04-2016
creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification
Perf Casing 12 18 80 .25 11 800	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number 1888 Date 04-14-2016
(8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Flowing Artesian	Signed Kun Julit
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
750 54 4	I accept responsibility for the construction, deepening, alteration, or abandonmen
	work performed on this well during the construction dates reported above. All wor
	performed during this time is in compliance with Oregon water supply we
Temperature 52 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) TDS amount 125	License Number 1684 Date 04-14-2016
From To Description Amount Units	Signed (1
	Signed Contact Left (contact) (spectrilling/hotered com
	Contact Info (optional) Jonesdrilling/abotmail.com
ORIGINAL - WATER RESOURCES I	DEPARTMENT