IGINAL Alle Original, and Duplicate with the	FIII III /
STATE ENGINEER, SALEM, OREGON STATE OF O	REGON G983 BUN State Permit No.
(1) OWNER: Name Harry and Ollie Hardenburger	(10) WELL TESTS: 3704
	Was a pump test made? ☐ Yes ☐ No If yes, by whom?
Address Philomath, Oregon	Yield: gal./min. with ft. draw down after hrs.
	n n n
(2) LOCATION OF WELL:	Artesion flowg.p.m.
County Benton Owner's number, if any-	
R. F. D. or Street No.	Boiler test 30 g.p.m. with 50 ft. drawdown
Bearing and distance from section or subdivision corner	Temperature of water 52 Was a chemical analysis made?   Yes   No
	Was electric log made of well? ☐ Yes ☐ No
	(11) WELL LOG:
TYPE OF WORK (check):	Diameter of well,6 inches.
	Total depth 70 ft. Depth of completed well 70 ft.
well Z Deepening Reconditioning Abandon Dandon bandonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
(4) PROPOSED USE (check): (5) EQUIPMENT:	Oft. to 1 ft. topsoil
Pomestic ★ Industrial □ Municipal □ Rotary □ Cable	1 " 8 " clay and rocks
igation   Test Well   Other   Dug Well	8 " 13 " rorks
CACCATO TAXONATATA	13" 18 " big boulders
CASING INSTALLED: If gravel packed	18" 30 " rønnd/ brown clay
Threaded □ Welded □X Gage	" and broken rock
FROM Off. to 59ft. 6 Diam. STD wall of Bore ft. ft.	30" 60" brown rock and white quartz
n n n n	60" 70 " broken rock carrying water
n n n n n	The second of th
22 22 23 23 23	n n
22 23 23 23 25 25	77 17
22 23 23 23 23 23	22 22
Type and size of shoe or well ring Size of gravel:	n n
Describe joint Weld	33 33
(7) PERFORATIONS: none	11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Type of perforator used	2) 1)
SIZE of perforations in., length, by in.	n n
FROM ft. to ft. perf per foot No. of rows	" "
27 21 21 21 21 22 22	)) ))
9 99 91 91 91 91 91 91	" "
n n n n n n n n n	77 77 19 19 19 19 19 19 19 19 19 19 19 19 19
n n n n n n n	27 29
SCREENS:	11 11
Give Manufacturer's Name, Model No. and Size	" "
	"
(8) CONSTRUCTION:	2) 1)
Was a surface sanitary seal provided? $\square$ Yes $\square$ No To what depth ft.	" "
Were any strata sealed against pollution? ☐ Yes ☐ No	Ground elevation at well sitefeet above mean sea level.
If yes, note depth of strata FROM ft. to ft.	Work started 6-3-58 19 , Completed 6-9-58 19
	Well Driller's Statement:
	This well was drilled under my jurisdiction and this report is
METHOD OF SEALING	true to the best of my knowledge and belief.
(9) WATER LEVELS: Statid level 10ft	NAME Raymond C. Gellatly
Depth at which water was first found level 10ft ft.	(Person, firm, or corporation) (Typed or printed)

ft.

ft.

A'ddress

Driller's well number

License No. 77

Standing level before perforating

Standing level after perforating

[Signed] Herry Owner

Log Accepted by:

Box 1

Philomath

Dated .