## NOTICE TO WATER WELL CON ACTOR E VE The original and first conformal of this report are to be filled with the STATE ENGINEERS.

STATE ENGINEER, SALEM, OSTON 97 ENGINEER TE OF OREGON within 30 days from the date of well completion. SALEM OREGON (Please type or print)

Bent 6175 State Well No. 13/46-7 State Permit No. ......

(1) OWNER:	(11) WELL TESTS: Drawdown is amount w lowered below static lev-	ater level is	
Name R.D SNITh	Was a pump test made? ☐ Yes ☐ No If yes, by whom? OWNCH		
Address 411 MAYET Drive hebanON	Yield: 300 gal./min. with 20 ft. drawdown		
	" "	"	
(2) LOCATION OF WELL:	" " "	,,	
County Benton Driller's well number	Bailer test gal./min. with ft. drawdow	vn after hrs.	
1/4 1/4 Section 7 T. 13 S R. 4 W W.M.	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis m	ade? 🗌 Yes 🔲 No	
	(12) WELL LOG: Diameter of well below casi	ing	
	Depth drilled 36 ft. Depth of completed well	<b>ぴ◇</b> ft.	
	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of th stratum penetrated, with at least one entry for each characteristics.	e material in each inge of formation.	
(3) TYPE OF WORK (check):	MATERIAL _	FROM TO	
•	SANDY Soil	$\rho$ 7	
New Well Deepening Reconditioning Abandon If Item 12.	SANDY SOIT	30	
(4) PROPOSED USE (check): (5) TYPE OF WELL:			
Domestic   Industrial   Municipal   Rotary   Driven	774		
Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐			
(6) CASING INSTALLED: Threaded Welded			
8			
" Diam. from			
" Diam. from ft. to ft. Gage			
(7) PERFORATIONS: Perforated? A Yes No			
Type of perforator used &			
Size of perforations in. by 10 in.			
20 perforations from 20 ft. to 30 ft.			
perforations fromft. toft.			
perforations fromft. toft. perforations fromft. toft.			
perforations fromft. toft.			
(2) SCDEENS.			
went selecti instanted: [] Tes [] 140			
Manufacturer's Name			
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.	Work started 3/ 19/45 Completed 3-	2 165	
	Date well drilling machine moved off of well 3	2 1965	
(9) CONSTRUCTION: Well WAS PITTED	(13) PUMP:		
Well seal—Material used in seal 2 Below Ground	Manufacturer's Name		
Depth of seal ft. Was a packer used?	Туре: Н.	P	
Diameter of well bore to bottom of seal in.	Western Well Constructions Constitution		
Were any loose strata cemented off? Tyes No Depth	Water Well Contractor's Certification:	-	
Was a drive shoe used? ☐ Yes ☐ No	This well was drilled under my jurisdiction ar	nd this report is	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	true to the best of my knowledge and belief.		
Gravel placed from ft. to ft.	NAME CFISPIN Well Drilling (Person, firm or corporation) (Type of print)		
Did any strata contain unusable water?  Yes No			
Type of water? depth of strata	Address Route 4 Box 257 Albany		
Method of sealing strata off	Drilling Machine Operator's License No. 193	•••••	
(10) WATER LEVELS:	[Signed Tours Mushin		
Static level /0 ft. below land surface Date 3-2-65	(Water Well Contractor)		
Artesian pressure lbs. per square inch Date	Contractor's License No. 280. Date 3-2	, 19 <b>65</b> -	