Bent 6271

BENT 6271

GR-3574 (* Replaces)

STATE ENGINEER, SALEM 10, OREGON OCT - 7 196STATE OF Please by	CR- 3283 LL REPORT FOREGON De or print) G-2924 State Permit No	
of well completion. STATE ENGINEER.	(11) WELL TESTS: Drawdown is amount water level is lowered below static level Self	
Name Alex Smith		
Address Rt. 3, Box 542	Yield: 450 gal./min. with 7 ft. drawdown after	
Corvellis, Oregon		
(2) LOCATION OF WELL:	21 21 21	
	Bailer test gal./min. with ft. drawdown after	er hrs.
	Artesian flow g.p.m. Date	
SE 1/4 WE 1/4 Section 12 T. S 13S R. 5W W.M. Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made?	☐ Yes ☐ No
Bearing and distance from section of subdivision corner	(12) WELL LOG: Diameter of well below casing	2 (11
	Depth drilled 27 ft. Depth of completed well	27 ft.
	Formation: Describe by color, character, size of material and s	
	show thickness of aquifiers and the kind and nature of the ma stratum penetrated, with at least one entry for each change	iterial in each
	and the period total, while as totals one every for each change	- Tormation.
	MATERIAL FROM	M TO
TYPE OF WORK (check):	Top Soil 0	4
Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	Clay 4	9
andonment, describe material and procedure in Item 12.	Gravel 9	27
(4) PROPOSED USE (check): (5) TYPE OF WELL:		
Domestic Industrial Municipal Rotary Driven		
Cable 1 Jetted		
Irrigation I Test Well Other Dug Bored		
(6) CASING INSTALLED: Threaded □ Welded ▼		
OOft. to27ft. Gage250		
"Diam. from		
"Diam. fromft. Gage		
Digital from		
(7) PERFORATIONS: Perforated? X Yes No		
Type of perforator used Acetylene Torch		
Size of perforations 3/8 in. by 12 in.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations fromft. toft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? ☐ Yes ☐ No		
ufacturer's Name		
e Model No		
Diam	Work started 9-18 1963 Completed 9-20	19 63
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well 9-21	19 63
(A) CONCERNATIONION		
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in sealBentonite	Manufacturer's Name	***************************************
Depth of seal 18 ft. Was a packer used?	Туре: Н.Р	
Diameter of well bore to bottom of seal	ļ	
Were any loose strata cemented off? ☐ Yes 🔣 No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? X Yes □ No	This well was drilled under my jurisdiction and the	his report is
Was well gravel packed? ☐ Yes 🕅 No Size of gravel:	true to the best of my knowledge and belief.	
Gravel placed from ft. to ft.	NAME Merle E. Warren Wall Dail	ing
Did any strata contain unusable water? 📋 Yes 樶 No	NAME Merle E. Warren, Well Drilling (Type or Print)	
Type of water? Depth of strata	AddressRt. 1, Box 85, Tangent, Oregon	
Method of sealing strata off	マ/マ	
	Drilling Machine Operator's License No.	
(10) WATER LEVELS:	[Signed] (Water Well Contractor)	
Static level 9 ft. below land surface Date 9-20-63	(Water Well Contractor)	/ / ~
Artesian pressure lbs. per square inch Date	Contractor's License No. 182 Date 9/28	حمد <u>م</u> ک ₁₉
(IISE ADDITIONAL SE	TERTS IF NECESSARVI	