NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

Bent 678 State Well No.

14/5w-12L

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

(Please type or print)

(Do not write above this line)

State Permit No.

of well completion.	G-4434	10		
(1) OWNER: SALENGINEER	(11) LOCATION OF WELL:			
Name Chris Gwillim SALEM. OREGON	County Briller's well number			
Address 8#2 JUNTION CITY	1/4 1/4 Section 12 T./4 S R. 5 W W.M.			
	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	Bearing and distance from Section of Subdivisi	Jii corner		
New Well 🗹 Deepening 🗌 Reconditioning 🔲 Abandon 🗍				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well			
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled 29 ft. Depth of completed well 19 ft.			
Dug Bored Irrigation Test Well Other				
(5) CASING INSTALLED: Threaded Welded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.			
ft. toft. Gage	MATERIAL	From	То	swl
ft. to ft. Gage				
PERFORATIONS: Perforated? Yes No.	BROWN SANDY LOAM	Ø	6	
Type of perforator used GAS TORCH & Mill'S		1		
Size of perforations in. by /2 in.	BRUCEN SAND & GRAVEL	6	16	
24 perforations from 21 ft. to 28 ft.			7-6	
MIUS perforations from ft. to ft.				
X.3 perforations from	PACKED SAND	16	18	
perforations fromft. toft. perforations fromft. toft.				
It.	Caullal to mile	100		-
(7) SCREENS: Well screen installed? Yes No	GRAVEL & SAND	18	29	82
Manufacturer's Name				
Type Model No	.:			
Diam. Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.	3.			
(8) WATER LEVEL: Completed well.				
static level 3 ft. below land surface Date MANCH 146	F	-	1	-
Artesian pressure lbs. per square inch Date		+		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes No If yes, by whom? C. Gwell M				
eld: 490 gal./min. with 8 ft. drawdown after 35 hrs.	Work started MARCA 11 1968 Comple	ted M	IRCL,	4 1968
" " " "	Date well drilling machine moved off of well	_1141	20h 19	1968
n n	Drilling Machine Operator's Certification			-
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my crials used and information reported abo			
Artesian flow g.p.m. Date	knowledge and belief.			
Temperature of water Was a chemical analysis made? ☐ Yes ☐ No	[Signed] July Machine Operator)	. Date	MARCI	V19.6.8
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	70	i	
Well seal-Material used Bentonite	Drining Machine Operator's License No.			
Depth of seal ft.	Water Well Contractor's Certification:	•		
Diameter of went Bore to bottom the self IN DRIMING	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? ☐ Yes ☐ No	NAME / CPerson, firm or corporation)	(Ty	pe or print)
Did any strata contain unusable water? Yes No	Address RHZ CORVAI	111		
Type of water? depth of strata				
Method of sealing strata off	[Signed] Bell Daniell	<i>r</i> 5		
Was well gravel packed? Yes No Size of gravel:	(Water Well Contr		-/	
Gravel placed from ft. to ft.	Contractor's License No	MAR	CA 16	, 196.8.