NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

____STATE OF OREGON (Please type or print)

676 -	State	Well No. 1455-
	State	Permit No.

(Do not write above this line)

(1) OWNER:	(10) LOCATION OF WELL:		
Name George Horning	County Benton Driller's well nu	$_{\rm imber}$ C//U	
Address Rt.3 Box 588	34 34 Section 14 T. 14S	в. 5W w.m.	
Corvallis, Oregon 97330	Bearing and distance from section or subdivision	in the second	
(2) TYPE OF WORK (check):			
New Well 🙀 Deepening 🗋 Reconditioning 🗋 Abandon 🗋			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	20	
Rotary Diven Diven Domestic Industrial Municipal	Static level 10 ft. below land su	44/00/-	
Bored I Irrigation M Test Well I Other	Artesian pressure lbs. per square		
(5) CASING INSTALLED: Threaded □ Welded © .250 10_" Diam. from 0 ft. to 20 ft. Gage .250	(12) WELL LOG: Diameter of well b	elow casing 10	
	Depth drilled 33 ft. Depth of comple		
"Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
" Diam. from ft. to ft. Gage			
(6) PERFORATIONS: Perforated? ¹ Yes I No.			
Type of perforator used Torch cut	MATERIAL	From To SWL	
$\frac{\text{Size of perforations}}{200} \xrightarrow{\text{form from from } 20} \xrightarrow{\text{in.}} 32$	Topsoil	0 1	
ft. to	Brown clay	1 5	
	Brown clay&gravel	5 16	
perforations from ft. to ft.	Sand&gravel	16 31	
(7) SCREENS: Well screen installed? Ves X No	Brown clay&gravel	31 33	
Manufacturer's Name			
Type Model No.			
Diam	· · · · · · · · · · · · · · · · · · ·		
Diam			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	ELEIVED		
s a pump test made? Yes XNo If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.	JAN 91980		
<u>"</u> " "			
" Tested with air: could fluctuate	WATER RESOURCES DEP		
iler test 100 ⁺ gal/min. with 22 ft. drawdown after 4 hrs.	SALEM, OREGON		
Artesian flow g.p.m.	· · · · · · · · · · · · · · · · · · ·		
Temperature of water Depth artesian flow encountered ft.	Work started 11/20/79 19 Completed	d 11/28/79 19	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	11/28/79 19	
Well seal-Material used <u>Cement</u>	Drilling Machine Operator's Certification:	•	
Well sealed from land surface to ft.	This well was constructed under my	direct supervision.	
Diameter of well bore to bottom of seal <u>14</u> in.	best knowledge and beliet.		
Diameter of well bore below seal <u>10</u> in.	[Signed] (Drilling Machine Operator)	Date 11/29/79 19	
Number of sacks of cement used in well seal	(Drilling Machine Operator) Drilling Machine Operator's License No.	829	
How was cement grout placed? Pumped through tremie	Diming Machine Operator's License No		
	Water Well Contractor's Certification:	. e	
e the second	This well was drilled under my jurisdic	tion and this report is	
Was a drive shoe used? 🙀 Yes 🗌 No Flugs	true to the best of my knowledge and belie	ef.	
Did any strata contain unusable water? Yes Two	Name Corvallis Drilling Co. Inc.		
	(Person, firm or corporation) Address 3440 SW 3rd St. Corvalli	(Type or print) s, Oregon 97330	
	Address J++0 J# JIU DU. OUIVAII1		
Method of sealing strata off	[Signed] _ lim to Ame	5	
Was well gravel packed? Ves V No Size of gravel:	(Water Well Contrac		
Gravel placed from ft. to ft.	Contractor's License No	.1/29/79 , 19 (
(USE ADDITIONAL SH	EETS IF NECESSARY)	SP*45656-119	