NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

INIAI 7 1968 STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310

State Well No. 15/46-6 P

State Permit No.

TATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date	(Blease type or print)
of well completion. SALE	M. CREGON

(G-4675

	U-7014			
(1) OWNER:	(11) LOCATION OF WELL:			
Name EARL C. + RayMOND JAGER	County BENTON Driller's well number			
Address GAOFR LN.	14 14 Section 6 T. 15	R. /	4W	W.M.
(2) TYPE OF WORK (check): 97449	Bearing and distance from section or subdivision corner			
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing			
Rotary Driven Cable Jetted Domestic Industrial Municipal	Depth drilled 25 ft. Depth of completed well 25 ft.			
Dug   Bored   Irrigation Test Well   Other	Formation: Describe color, texture, grain size			naterials
CASING INSTALLED: Threaded W Welded	and show thickness and nature of each stratu	ım and a	quifer pe	netrated,
6 "Diam. from 0 ft. to 25 ft. Gage 250	with at least one entry for each change of forn in position of Static Water Level as drilling pr			
	MATERIAL	From	То	swl
	700000	0	11	
DEDECOD A MICONG	100 Nout 13 nown Chang		//	· · · · · · · · · · · · · · · · · · ·
PERFORATIONS: Perforated? Yes   No.	Doched Day Ix One of	<del>                                     </del>	19	
Type of perforator used Celylene	A THE STATE OF THE			
Size of perforations //4 fn. by 4 in.	Witer Berning Sand	19	24	9
4.7 perforations from 20 ft. to 25 ft.				
perforations from ft. to ft.	+ garrel, Course.			
perforations from ft. to ft.				
perforations from ft. to ft.	Dacky Danel.	24	25	
perforations from ft. to ft.		,		
(7) SCREENS: Well screen installed?   Yes No				
Manufacturer's Name				<u> </u>
TypeModel No.				
Diam Slot size Set from ft. to ft.		<u> </u>		
Diam ft. to ft.				<b></b>
(8) WATER LEVEL: Completed well.		-		
stic level 9 ft. below land surface Date 5/2/68		1		
	**************************************		-	
Artesian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes I No If yes, by whom?		<u> </u>	ļ,	L
d: 300 gal./min. with 9 ft. drawdown after 2 hrs.	Work started 5 // 1968 Complete	ted 5	12	1968
" " "	Date well drilling machine moved off of well	<u>5/2'</u>		1968
" " " "	Drilling Machine Operator's Certification:	•		
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my d	irect sup		
	rials used and information reported about knowledge and beliefs	ve are t	rue to 1	ny best
Artesian flow g.p.m. Date	$(0)$ $K$ $N$ $L_{AB}$	Deta 5	1/2	1068
Temperature of water 5 2 Was a chemical analysis made?   Yes No	[Signed] (Drilling Waciline Operator)	Date	<u> </u>	., 19.8.8.
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	2//	`*	
Well seal—Material used 3000000				
Depth of seal ft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisd	iction ar	nd this r	eport is
Were any loose strata cemented off?   Yes No Depth	true to the best of my knowledge and beli	.CI.		
Was a drive shoe used? ☐ Yes 🐧 No	NAME (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water?   Yes No	Address (INNO TONOST	i (Qi	RE	
Type of water? depth of strata	Address GONCIANO			
Method of sealing strata off	[Signed] 0. 13. 11/14	e		
Was well gravel packed?   Yes No Size of gravel:	(Water Well Copyra	ctor)		
Gravel placed fromft. toft.	Contractor's License No. 5. Date	5/2		1968