
File Original and First Copy with the STATE ENGINEER, SALEM, OREGON



1/4-291

State Well No. State Permit No. G-1889

cirst Copy with the STATE ENGINEER, SALEM, OREGON	STATE OF	FOREGON G6107	State Permit No	1-1889)					
(1) OWNER:	(11) WELL TESTS:	Drawdown is amount lowered below static le	water leve	l is						
Name James R. Bushue	Was a pump test made? 🍇 Yes			Battner						
Address Rte. 1 Box 643			vith 100 ft. drawdov		hrs.					
Boring, Ore.		n n n n								
(2) LOCATION OF WELL:		17 13 11 11			"					
County Cleckemes Owner's number, if any—		Bailer test gal./min. with ft. drawdown after hrs.								
N.E 14 S.E 14 Section 29 T. 1 S. R. L. E. W.M.		Artesian flow g.p.m. Date								
Bearing and distance from section or subdivision corner		Temperature of water 53 Wa	s a chemical analysis m	ade? 🗌 Y	es 📉 No					
		(12) WELL LOG: Diameter of well 10 inches. Depth drilled 180 ft. Depth of completed well 180 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.								
							MATERIA	L	FROM	TO
						(3) TYPE OF WORK (check):	Top soil		0	3
						New Well Deepening Reconditioning Abandon Enabandonment, describe material and procedure in Item 11.		Yellow clay		3
Sand and Gravel		43	60							
1) PROPOSED USE (check):	Cement Gravel		60	97						
	(5) TYPE OF WELL:	Gruvel and Sand	(water)	97	103					
Domestic 🛅 Industrial 🗌 Municipal 🗎	Rotary Driven Cable X Jetted	Boulders, clay a	nd Gravel	103	180					
rrigation Test Well 🚺 Other	Dug 🗌 Bored 🗌									
(6) CASING INSTALLED: Th	readed [Welded]									
10." Diam. from 0 ft. to 9	<u></u>									
8." Diam. from 88 ft. to			<u> </u>							
" Diam. from ft. to										
(7) PERFORATIONS: Pe										
Type of perforator used torch (1									
SIZE of perforations in. by										
320 perforations from90										
perforations from										
	ft. to ft.	l								
perforations from										
perforations from										
performance and a second										
(8) SCREENS: Well screen is				,						
Manufacturer's Name										
Type										
Slot size Set from										
Slot size Set from	Work started Feb. 7	19 61 Completed M	arch	2.161						
(a) CONCERNICATOR										
(9) CONSTRUCTION:		(13) PUMP:								
Was well gravel packed? Yes X No Siz	Manufacturer's Name Meyers									
Gravel placed from ft. to	Type: Submersible H.P. one									
Was a surface seal provided? ☐ Yes ☐ No Material used in seal— sand and	YY. 11 % 11 1 6 6 1									
Did any strata contain unusable water? Yes No		Well Driller's Statement:								
Type of water? Depth of	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.									
Method of sealing strata off	-	-								
		NAME H. I. Bottner Drilling co. (Person, firm, or corporation) (Type or print)								
(10) WATER LEVELS:		(Person, firm, or corporation) (Type or print) Address 11544 N.E. Glisan, Portland, Ore.								
Static level 18 ft. below land surface Date March 2,		Address .#.#.D###: #YA.EA	WTTBGIT' LOT	وعللنات	<u> </u>					
Artesian pressure lbs. per squ	Driller's well number									
og Aggerted by:										
Log Accepted by:	[Signed] (Well Driller)									
Signed] Date	License No. Date June 10, 1961									
(Owner)	. '	Incense No.	DateJUI	و.لاطند	, 1904					
	(USE ADDITIONAL SH	EETS IF NECESSARY)								