## WATER WELL REPORT STATE OF OREGON

811924

## REGEIVED

JUL 13 1982

CLA State Well No.	$C_{i}$	سر	111
State Well No.	.4s.	5E-	11.64

State Permit No.

WATER RESOURCES DEPT.

	SALEM, OREGON	· · · · · · · · · · · · · · · · · · ·	
(1) OWNER:	(10) LOCATION OF WELL:		
Name Sayan Mountain Canch	County Clackamas Driller's well no	ımber	
Address 481765, Squaw Mth. Rd	59 4 U(1) 4 Section T. 45 R	: 5E	W.M.
City Estacada State OR4.	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location: 54ME GS &	nec	
New Well Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed wel		
If abandonment, describe material and procedure in Item 12.	ē.	<b>II.</b> •	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		1/2 L
		d surface. Date	,/~0
Rotary Air		square inch. Date	
Cable Bored   Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below case	sing	
CASING INSTALLED: Steel Plastic Welded Welde	Depth drilled ft. Depth of cor Formation: Describe color, texture, grain size and struct thickness and nature of each stratum and aquifer penetra for each change of formation. Report each change in pos and indicate principal water-bearing strata.	ture of materials; ated, with at least	t one entry
LINER INSTALLED:	MATERIAL	From To	SWL
"Diam. from 3 ft. to 03 ft. Gauge Speak			
	Soil Brown	0 1	<del></del>
(6) PERFORATIONS: Perforated? Yes \( \text{No} \)	20.1 28,860.		
Type of perforator used SKil SAW	Clay Brown	ا لا	
Size of perforations // in. by in.  40 perforations from 63 ft. to 103 ft.			
	Rock Brown Soft	6 25	
perforations from			
perforations from ft. to ft.	Rock Brown, Grey MED .	25 87	
(7) SCREENS: Well screen installed?   Yes No	0 1 (0 )	27 107	26-
Manufacturer's Name	Kock Grey Green men	37 103	<u> </u>
Type Model No.	- Fractures		
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.  Drawdown is amount water level is lowered			
(8) WELL TESTS: below static level			
_Was a pump test made? □ Yes No If yes, by whom?			
eld: gal/min. with ft. drawdown after hrs.			<del></del>
II " " "			<b> </b>
Air test gal./min. with drill stem at ft. hrs.			
Bailer test O gal./min. with Ct. drawdown after hrs.			
Artesian flow g.p.m.			
nperature of water Depth artesian flow encountered ft.	Work started 6/22 1982 Completed	6/26	10 8 =
(9) CONSTRUCTION: Special standards: Yes □ No	Date well drilling machine moved off of well	22	19 8
Well seal—Material used ement 6 rout			
Well sealed from land surface to 30 ft.	Drilling Machine Operator's Certification:  This well was constructed under my direct sur	nomicion Mate	oriala ugad
Diameter of well bore to bottom of seal in.	and information reported above are to the totally best	•	
Diameter of well bore below sealin.	[Signed]	Date 47.2	6,19.82
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	24'	
How was cement grout placed? Pressure arout	Drilling Machine Operator's License No	<del></del>	
	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction	and this report	is true to
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief.	illing	
Was a drive shoe used?   Wes No Plugs Size: location ft.	Name (Person, firm or corporation)	(Type o	r print)_
Did any strata contain unusable water?   Yes No	Address 27757 S, #wy 2/1 Es	Tacada, L	ORE
Type of Water? depth of strata	[Signed] Side Wallon		
Method of sealing strata off	Water Well Contractor	601	······
Was well gravel packed?	Contractor's License No	X6	, 19
Gravel placed from ft. to ft.			