

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

CLAC 012097

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion

STATE OF OREGON

(Please type or print) (Do not write above this line)

State Well No. 3/1-34 b

State Permit No. G-4360

STATE ENGINEER SALEM, OREGON

(1) OWNER:

Name Irene E Burden
Address Rt. 1 Box 420 Canty

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [x] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [x] Test Well [] Other []

(5) CASING INSTALLED:

12" Diam. from 0 ft. to 187 ft. Gage 250
8" Diam. from 0 ft. to 180 ft. Gage 250

(6) PERFORATIONS:

Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [x] Yes [] No
Manufacturer's Name Johnson
Type Euclid Brass Model No.
Diam. 8 Slot size 15 Set from 180 ft. to 190 ft.

(8) WATER LEVEL: Completed well.

Water level 30 ft. below land surface Date 7-23-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [x] Yes [] No If yes, by whom? Driller 224
300 gal./min. with 25 ft. drawdown after 1 hrs.
200 " " 35 " " " " " "
Artesian flow g.p.m. Date
Temperature of water 52 Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite
Depth of seal 19 ft.
Diameter of well bore to bottom of seal 15 in.
Were any loose strata cemented off? [] Yes [x] No Depth
Was a drive shoe used? [x] Yes [] No
Did any strata contain unusable water? [] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [x] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Clackamas Driller's well number 68-2
N 1/4 Section 34 T. 35 R. 15 W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 192 ft. Depth of completed well 192 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include CLAY-YELLOW, SAND-FINE-YELLOW, BOULDERS + SAND, GRAVEL-COARSE BROWN, WATER BEARING, SAND FINE WATER BEARING WITH CLAY-BLUE PARTICLES, CLAYSTONE BLUE, SAND FINE BLACK-WATER B., CLAY WITH MED. GRAVEL-BLUE, BLACK SAND FINE WATER.

Work started 6-24 1968 Completed 19
Date well drilling machine moved off of well 7-10-1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Marvin D. Styles Date 7-13 1968
Water Well Drilling Machine Operator

Drilling Machine Operator's License No. 224 595

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Styles Drilling & Supply
(Person, firm or corporation) (Type or print)

Address Gladstone Oregon

[Signed] Gerry J. Styles
(Water Well Contractor)

Contractor's License No. 58 Date 10-12 1968