

NC

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT CLAC JUL 12 1967 STATE OF OREGON (Please type or print) (Do not write above this line) 012116

State Well No. 3/1-34 P(3) State Permit No.

(1) OWNER:

Name Mirrel Brammer Address Route 1, Box 158 Canby, Oregon

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

CASING INSTALLED:

8" Diam. from 13 ft. to 147 5/8 ft. Gage 0.277 6 linear from 142 ft. to 172 ft. Gage 0.250

PERFORATIONS:

Type of perforator used Cutting torch Size of perforations 1/8 in. by 12 in. 30 perforations from 154 ft. to 168 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 48 ft. below land surface Date 7/12/67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [x] No If yes, by whom? 60 gal./min. with 55 ft. drawdown after 2 hrs.

(10) CONSTRUCTION:

Well seal-Material used Puddled clay Depth of seal 50 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [x] Yes [] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Clackamas Driller's well number 35-67 SE 1/4 SW 1/4 Section 34 T. 3S R. 1E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 172 ft. Depth of completed well 172 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Clay, brown; Boulders and gravel; Clay, brown; Clay, gray; Gravel, loosley cemented 20 gpm; Clay, yellow with gravel; Clay, blue; Sand and gravel 20 gpm; Clay, gray; Clay, yellow and green; Clay, gray; Clay, blue; Sand and gravel (water).

Work started June 29, 1967 Completed July 11, 1967 Date well drilling machine moved off of well July 12, 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Robert E. McConnell Date July 12, 1967 (Drilling Machine Operator)

Drilling Machine Operator's License No. 68

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Steinman Bros. (Person, firm or corporation) (Type or print)

Address 15112 SE McLoughlin, Milwaukie, Ore.

[Signed] Steinman Bros. (Water Well Contractor)

Contractor's License No. 1 Date July 12, 1967