DEB? 1973state Well No. 45 1E-2 filed with the STATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) STATE ENGINEER te Permit No. within 30 days from the date S1244 3(Do not write above this line) of well completion. SALEM, OREGON (10) LOCATION OF WELL: (1) OWNER: County Clackanas Driller's well number Name F.O. Kraxberger N.E. 14 N.W Section 23 T. 48 R. 1E 10286 S. Macksburg Rd. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Area Macksburg New Well Deepening [Reconditioning [Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🗌 Domestic XX Industrial | Municipal | Static level ft. below land surface. Date Cable Bored | Irrigation

Test Well
Other Dug Artesian pressure Ibs. per square inch. Date) CASING INSTALLED: Threaded | Welded (12) WELL LOG: Diameter of well below casing " Diam. from ft. to ft. Gage Depth drilled 120 ft. Depth of completed well 115 Formation: Describe color, texture, grain size and structure of materials; ft. to _____ ft. Gage . and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.) PERFORATIONS: Perforated? | Yes | No. MATERIAL From Type of perforator used Size of perforations in. by Top Soil Brown Clay Brown perforations from 56 Gravel cominted- large perforations from _____ ft. to _____ ft. Clay-Brown- Light 63 perforations from _____ ft. to ____ Gravel Large w/clay (7) SCREENS: Well screen installed? 🗌 Yes 🔯 No 81 Clay. Blue. Sticky Manufacturer's Name 91 Clay. Brown. Hard Sand. Brown. Coarce Diam. ____ Slot size ____ Set from ___ Water Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? [] Yes Mo If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Total Air Test gal./min. with Bailer test g.p.m. Artesian flow Depth artesian flow encountered mperature of water Work started 11 28 19 73 Completed 11 20 19 73 Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used Bentonite & Puddled Clay This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. Well sealed from land surface to Diameter of well bore to bottom of seal 6 [Signed] (Drilling Machine Operator) Date 2-5, 19.73 Diameter of well bore below seal Number of sacks of cement used in well seal Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal ... Brand name of bentonite Wilbur Ellis Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? A Yes No Plug Size: location ft. S. & M. Drilling.
(Person, firm or corporation) (Type or print) Did any strata contain unusable water? 🛘 Yes ื No 399 S.E. Welmut Street Canby, Oregon Type of water? Method of sealing strata off Was well gravel packed? | Yes No Size of gravel: 497 Date Dec. 5 Contractor's License No. ... Gravel placed from _____ft_ to____

WATER WELL REPORTE CEIVED

NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be

ba