

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

CLAC 12524

WATER WELL REPORT

STATE OF OREGON (Please type or print)

(Do not write above)

RECEIVED

NOV 6 1978

State Well No.

45/11E-25dd

WATER RESOURCES DEPT.

Permit No.

SALEM, OREGON

(1) OWNER:

Name Frank M. Lara
Address 27730 Pelican St.
Canby, Oregon 97013

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Driven [ ]
Cable [ ] Jetted [ ]
[ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [X] Industrial [ ] Municipal [ ]
Irrigation [X] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

8" Diam. from #1 ft. to 154 ft. Gage 250
Threaded [ ] Welded [X]

(6) PERFORATIONS:

Perforated? [ ] Yes [X] No
Type of perforator used
Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [ ] Yes [X] No If yes, by whom?
d: gal./min. with ft. drawdown after hrs.

(9) CONSTRUCTION:

Well seal—Material used Bentonite
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal sacks
Number of sacks of bentonite used in well seal 1 sacks
Brand name of bentonite National
Number of pounds of bentonite per 100 gallons of water 100 lbs./100 gals.

(10) LOCATION OF WELL:

County Clackamas Driller's well number
SE 1/4 SE 1/4 Section 25 T. 4S R. 1E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 154 ft.
Static level 11 ft. below land surface. Date 10/28/78
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8
Depth drilled 156 ft. Depth of completed well 156 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include Top soil, Clay, brown, Conglomerate, brown, Sand, coarse, black.

Work started 10/26 1978 Completed 10/28 19 78
Date well drilling machine moved off of well 10/28 19 78

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Steve Stadel Date 11/1 19 78
Drilling Machine Operator's License No. 860

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name C. G. Westerberg
Address Ft. J., Box 151, Mulin, Oregon
[Signed] C. G. Westerberg
Contractor's License No. 86 Date 11/1 19 78