

(1) OWNER:
 Name Lion Monnonite church
 Address Rt 1 Box 119 Hubbard Ore

(2) TYPE OF WORK (check):
 New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: Rotary Driven
 Cable Jetted
 Dug Bored
 (4) PROPOSED USE (check): Domestic Industrial Municipal
 Irrigation Test Well Other

(5) CASING INSTALLED: Threaded Welded
 6" Diam. from 0 ft. to 111 ft. Gage 250
 " Diam. from " ft. to " ft. Gage
 " Diam. from " ft. to " ft. Gage

(6) PERFORATIONS: Perforated? Yes No.
 Type of perforator used
 Size of perforations 1/4 in. by 1/2 in.
 45 perforations from 101 ft. to 104 ft.
 perforations from " ft. to " ft.
 perforations from " ft. to " ft.

(7) SCREENS: Well screen installed? Yes No
 Manufacturer's Name
 Type Model No.
 Diam. Slot size Set from " ft. to " ft.
 Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? Driller
 Yield: 55 gal./min. with 35 ft. drawdown after 12 hrs.
 " " " " " "
 " " " " " "
 Bailor test gal./min. with " ft. drawdown after " hrs.
 Artesian flow g.p.m.
 Temperature of water 51 Depth artesian flow encountered " ft.

(9) CONSTRUCTION: Well seal—Material used Cement
 Well sealed from land surface to 20 ft.
 Diameter of well bore to bottom of seal 10 in.
 Diameter of well bore below seal 6 in.
 Number of sacks of cement used in well seal 11 sacks
 How was cement grout placed? TOP

Was a drive shoe used? Yes No Plugs " Size: location " ft.
 Did any strata contain unusable water? Yes No
 Type of water? " depth of strata
 Method of sealing strata off
 Was well gravel packed? Yes No Size of gravel:
 Gravel placed from " ft. to " ft.

(10) LOCATION OF WELL:
 County Clackamas Driller's well number
SW 1/4 SW 1/4 Section 31 T. 45 R. 1E W.M.
 Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
 Depth at which water was first found 69 ft.
 Static level 41 ft. below land surface. Date 6-30-78
 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing -
 Depth drilled 111 ft. Depth of completed well 111 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
TOPSOIL	0	3	
SILT, BROWN	3	12	
Clay, Brown	12	41	
Cement Gravel, Brown	41	69	
Gravel, Brown	69	71	SD (MEX)
Clay, Grey	71	89	
Sand, black, heavy	89	94	40
Gravel	94	98	40
Sand, black	98	101	40
Gravel	101	102	40
Clay, Blue	102	111	

Work started 6, 27, 1978 Completed 7-3- 1978
 Date well drilling machine moved off of well 7-3- 1978

Drilling Machine Operator's Certification:
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 [Signed] Richard Beck Date 7-3, 1978
 (Drilling Machine Operator)
 Drilling Machine Operator's License No. 1200

Water Well Contractor's Certification:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 Name J.W. Beck Well Drilling
 (Person, firm or corporation) (Type or print)
 Address 24137 S. Skylane Dr. Canby Ore
 [Signed] John W. Beck
 (Water Well Contractor)
 Contractor's License No. 449 Date 7-5, 1978