

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON JUL 7 1967 STATE ENGINEER SALEM OREGON

CLACK 012735 6-3997

State Well No. 411-32A State Permit No.

(1) OWNER:

Name Max W. Sherman Address Rt. 2 Box 337 Canby, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [X] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [X] Test Well [ ] Other [ ]

CASING INSTALLED:

10" Diam. from top ft. to 200 ft. Gage 250

PERFORATIONS:

Perforated? [X] Yes [ ] No. Type of perforator used Mills Size of perforations 2 in. by 3/8 in. 330 perforations from 120 ft. to 150 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 50 ft. below land surface Date 7/3/67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [ ] No If yes, by whom? driller Yield: 400 gal./min. with 80 ft. drawdown after 12 hrs. 300 " 70 " 12 " Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 54 Was a chemical analysis made? [ ] Yes [ ] No

(10) CONSTRUCTION:

Well seal—Material used Cement & Puddle clay Depth of seal 20 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [ ] Yes [ ] No Depth Was a drive shoe used? [X] Yes [ ] No Did any strata contain unusable water? [ ] Yes [ ] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Clackamas Driller's well number 1232 1/4 Section 32 T. 4S R. 1E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 10 Depth drilled 200 ft. Depth of completed well 200 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top soil, Yellow clay, Yellow clay sandy, Brown Sand, Sticky blue shale, Brown sandy shale, Black sandy shale, Small gravel black sand, Gray shale, Black sand, Gray shale.

Work started 6/12/67 19 Completed 7/3/67 19

Date well drilling machine moved off of well 7/3/67 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] [Signature] Date 7/5/67, 19... (Drilling Machine Operator)

Drilling Machine Operator's License No. 74

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME WILLAMETTE DRILLING COMPANY (Person, firm or corporation) (Type or print)

Address Rt. 2 Box 276, Salem, Oregon

[Signed] [Signature] (Water Well Contractor)

Contractor's License No. 2 Date 7/5/67, 19