613005

\*/-7 K(1)

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON STATE OF OREGON

6-4245 G1975 State Well No. ...

SALEM, OREGON		6\975 State Permit No		••••••
(1) OWNER:		(11) WELL TESTS: Drawdown is amount lowered below static l	water leve	l is
Name Joe Hershberger		Was a pump test made? ☑ Yes ☐ No If yes, by who		ler
Address Canby, Oragon		Yield: 125 gal./min. with 10 ft. drawdow	wn after	hrs.
		, 210 , 20 ,		
(2) LOCATION OF WELL:		<u>" 255 " 30 "</u>		4 "
County Clack Owner's number, if any—		Bailer test gal./min. with ft. drawdov	vn after	hrs.
NW 14 SE 14 Section 7 T	: 45 R.   E W.M.	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivis	sion corner	Temperature of water 520 Was a chemical analysis m	ıade? 🔲 Y	es 🛨 No
2110'N & 250' W	from the SE	(12) WELL LOG: Diameter of well	10	inches.
Corner of the 5W's	+SE'L	Depth drilled 74 ft. Depth of completed v		74 <b>s</b> t.
		Formation: Describe by color, character, size of materishow thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	ial and stru	cture, and
		MATERIAL	FROM	то
(3) TYPE OF WORK (check):		Surface Fill	0	7
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐ andonment, describe material and procedure in Item 11.		Beaver dam	7	16
		Sand	16	29
(4) PROPOSED USE (check):	(5) TYPE OF WELL.	Cement gravel	29	66
	(5) TYPE OF WELL:	Blue clay	66	68
Domestic	Cable ⚠ Jetted □	Black sand and gravel	68	74
Irrigation  Test Well  Other	Dug 🗌 Bored 🖺			
(6) CASING INSTALLED: The	readed Welded X		_	
10 "Diam. from 0 ft. to			.	
	=			
	_			
			.[	
	erforated? 🖺 Yes 🗌 No		I	
Type of perforator used Millknife			<u> </u>	
SIZE of perforations 1/4 in. by 2 in.  20 perforations from 52 ft. to 56 ft.			┼──┤	
5. perforations from 61 ft. to ft.			<del>  </del>	
perforations from ft. to ft.			<del> </del>	
perforations from ft. to ft.				-
perforations fromft. toft.				
(8) SCREENS: Well screen	installed 🗌 Yes 🙀 No			
Manufacturer's Name				
Туре				
Slot size Set from ft. to ft.			<u> </u>	<del></del> -
Slot size Set from	ft. to ft.	Work started Sept 14 19 60 Completed S	ept 21	1960
(9) CONSTRUCTION:		(13) PUMP:		
Was well gravel packed? ☐ Yes 🖺 No Size of gravel:		Manufacturer's Name		
Gravel placed from ft. to ft.		Type: H.P.		
Was a surface seal provided? 🗌 Yes 🔯 No To what depth? ft.			п.Р	
Material used in seal—		Well Driller's Statement:		
Did any strata contain unusable water? Ye		This well was drilled under my jurisdiction a	and this r	eport is
Type of water? Depth of	sudia	true to the best of my knowledge and belief.		
Method of sealing strata off		NAME John Truman Miller	******	
(10) WATER LEVELS:	· · · · · ·	D 0 D 10 = ""	pe or print)	)
Static level 20 ft. below land	surface Date	Address P 0 Box 42 Hubbard, Ore	egon	***********
Artesian pressure lbs. per squ	uare inch Date	Driller's well number		
Lord Accordance have				
Log Accepted by:		[Signed] from from some	les	
[Signed] Date	September 30 1960.	License No. 277 Date Sept	30	60
()	!		,	19
<i>₹</i>	(USE ADDITIONAL SH	EETS IF NECESSARY)		