The original and first copy of this report are to be filed with the CLAC WATER WELL RESORTE EIVE Date Well No. 45/1E-9 dc (Do not write above this line) FEB 31977 of well completion. WATER RESOURCES DEPT (1) OWNER: (10) LOCATION OF OWELL: Name Gary Sambuceto Driller's well number County Clackamas Address 8989 S. E. L2nd. Milwaukie. T. J.S. 14 SE 14 Section Q R. ] F. W.M. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [ Reconditioning [ Abandon 🗀 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): 21.7 ft. Depth at which water was first found Driven 🛘 Domestic | Industrial | Municipal | ft. below land surface. Date 1/27/77Static level Cable Jetted П Irrigation X Test Well Other Dug Bored Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded [] Welded [] (12) WELL LOG: Diameter of well below casing ... 8 " Diam. from ...... 0 ft. to 215 ft. Gage 229 Depth drilled 232 ft. Depth of completed well ......" Diam. from ...... ft. to ...... ft. Gage ... Formation: Describe color, texture, grain size and structure of materials: " Diam. from ..... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Tyes K No. Type of perforator used MATERIAL From SWT. 0 Clay, brown, silty Size of perforations in. by 16 21 Gravel, brown 27 39 perforations from \_\_\_\_\_ft. to Clay, gray, sandy 39 66 Gravel, cemented perforations from ..... 66 87 Sand, brown (7) SCREENS: Well screen installed? 

Yes 

No 88 87 Gravel Manufacturer's Name 88 Sand, brown 10 Clay, gray, sandy 1.03 77 Diam. Slot size Set from ft. to 117 13 Clay, gray Diam. Slot size Set from ft. to ft. Sand, coarse, gray 133 140 7/10 15 Drawdown is amount water level is lowered below static level Steinman Clay, gray (8) WELL TESTS: 154 162 Sand, gray, fine Was a pump test made? K Yes D No If yes, by whom? Bros. Dr. 162 21 Clay, gray 43 ft. drawdown after 21.7 225 100 deld: gal./min. with hrs. Sand, gray, coarse Clay, blue, green 150 ,, 63 775 Bailer test gal./min. with ft. drawdown after Artesian flow g.p.m. mperature of water 54 Depth artesian flow encountered .. Work started Jan. L 19 77 Completed Jan. 1977 Date well drilling machine moved off of well 1977 (9) CONSTRUCTION: Well seal-Material used Bentonite Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to .... Diameter of well bore to bottom of seal ......12... best knowledge and belief. It Mileon Date Feb. 1 19 77 (Drilling Machine Operator) Number of sacks of cement used in well seal ..... Drilling Machine Operator's License No. 398 Number of sacks of bentonite used in well seal ..... Brand name of bentonite National Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is of water ..... ..... Ibs./100 gals. true to the best of my knowledge and belief. Was a drive shoe used? X Yes No Plugs ...... Size: location ..... ft. Name Steinman Bros. Drilling Co.
(Person, firm or corporation) (Type or print) Did any strata contain unusable water? 

Yes 

No Addres 1912 S.E. Kellogg Ave., Milwaukie, Or. 97222 Type of water? depth of strata Method of sealing strata off Was well gravel packed? ☐ Yes ☐XNo Size of gravel:

ft. to

=

Gravel placed from .....

Contractor's License No. \_\_\_\_\_\_ Date \_\_\_\_\_ XXXX Feb. 1, 19 77