NOTICE TO WATER WELL CONTRACTOR The original and first copy WATER WELL R of this report are to be STATE OF OREGON State Well No. filed with the Please type or print) ALEM OREGONIATE Permit No. STATE ENGINEER, SALEM, OREGON within 30 days from the date (Do not write above this line) of well completion. (10) LOCATION OF WELL: (1) OWNER: County Clackaned Driller's well number Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Abandon 🗍 Reconditioning [Deepening 🛚 New Well K If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PRÖPOSED USE (check): Depth at which water was first found (3) TYPE OF WELL: Gev Rotary ft. below land surface. Domestic | Industrial | Municipal | Driven | Jetted 🗌 Cable *lbs. per square inch. Irrigation 🔀 Test Well 🗌 Other Artesian pressure Bored [(5) CASING INSTALLED: (12) WELL LOG: Diameter of well below casing Threaded ["Diam from + 32 ft. to 3565 ft. Gage 25 ft. Depth of completed well Depth drilled 402 2 ft. to 2172 ft. Gage 257 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Z Yes No. Type of perforator used Size of perforations ... perforations from ... perforations from 216 perforations from .. SCREENS: Well screen installed? | Yes Manufacturer's Name Set from ____ Set from ... Diam. Slot size Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? KI Yes I No If yes, by whom? dr. ft. drawdown after Bailer test ian flow 197 1979 Completed 7-Depth artesian flow encountered perature of water Date well drilling machine moved off of well (9) CONSTRUCTION: coment & in frys Drilling Machine Operator's Certification: Well seal-Material used Pleasure Grande This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to ... best knowledge, and belief Diameter of well bore to bottom of seal Date 7-3/ Diameter of well bore below seal 36 [Signed] Number of sacks of cement used in well seal .. Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal .. Water Well Contractor's Certification: Brand name of bentonite Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is lbs./100 gals. true to the best of my knowledge and belief. ... Size: location Name 19110 Schneider Was a drive shoe used?

Yes No Pluss Did any strata contain unusable water? [] Yes K No Type of water? Method of sealing strata off Was well gravel packed? X Yes No Contractor's License No.387 tt. to lettern et. Gravel placed from ..

RECEIVED AUG 3 1973 STATE ENGINEER SALEM OREGON

"150 apm Arom 1"2"

18" casir Ferforati

asing 356%: rations: 1

to 276計 to 276計 to 376計 SON 7/02/7

unozz

エゴか

J. Frank Schmidt & Son

REGEIVED AUG 3 1973 STATE ENGINEER SALEM OREGON

top soil	From	То
	Control of the	12
black sand	12	16
brown coarse sand	16	36
blue clay & brown sand layers	- 3 6	40
and the Company of th	40	58
black sand	58	63
coarse black sand & gravel (3")	9 9	
bone at $63\frac{1}{2}$	63	64
gray clay & gravel (2")	64	96
gravel (8")		98
brown clay	96	
blue clay	98	103
black sand & gravel	103	-106
blue clay	106	125
brown clay	125	138
blue clay	138	170
brown sandy clay	170	177
blue clay	177	183
blue sandy clay	183	189
black sandy clay	189	196
blue clay	196	221
brown sandy clay	221	236
brown silty clay	236	254
brown clay	254	259
black sand cemented	259	269
black clay	269	298
blue clay	298	317
conglomeration	317	330
gray clay	330	346
blue sandy clay	346	348
gray clay	348	402