REGENTED

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE ENGINEER

WATER WELL REPORT STATE OF OREGON

CLAC OLAC No. 4/1- 18 OLAC No. 4/1- 18

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level lowered below static level	el is
Name Willard K Compton,	Was a pump test made? ☐ Yes ☐ No If yes, by whom? J T	.Miller
Address Rt.2, Box21A, Canby, Ore.	Yield: 350 gal./min. with 80 ft. drawdown after	hrs.
Aurora	<u> </u>) f
(2) LOCATION OF WELL:	" " "	99
County Clock Owner's number, if any—	Bailer test gal./min. with ft. drawdown after	hrs.
TOT C 0 7 1 C 1 T 1 C	W.M. Artesian flow g.p.m. Date	
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made?	es □ No
w.	(12) WELL LOG: Diameter of well	inches
	Depth drilled 20 ft. Depth of completed well 12	
	Formation: Describe by color, character, size of material and str show thickness of aquifers and the kind and nature of the mater stratum penetrated, with at least one entry for each change of	ial in each formation.
	MATERIAL FROM	то
(3) TYPE OF WORK (check):	surface 0	4
		67
New Well M Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 11.	57	84
	Coarse congromerate, or own 8).	85
(4) PROPOSED USE (check): (5) TYPE OF WELL	L: gravel, water	90
Domestic ☑ Industrial ☐ Municipal ☐ Rotary ☐ Driven	□ gray ctay OO	95
Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored	U Braver , water	98
	$\frac{\Box}{\Box}$ gravel, water $\frac{92}{98}$	103
(6) CASING INSTALLED: Threaded □ Welded □ W	gray clay 103	176
(6) CASING INSTALLED: Threaded Welded X 12 "Diam from tt to Comented	gravel, water 110	110
8 "Diam from 0 ft. to 116 ft. Gage	light red clay	116
"Diam. fromft. toft. Gage	red sand , small gravel, water 116	170
(7) PERFORATIONS: Perforated? X Yes \(\square\) No	gray clay 119	120
Type of perforator used mill knife		
SIZE of perforations in. by in.		
75 perforations from 98 ft. to 95	ft.	
110	- ft.	-
15 perforations from 110 tt. to 112	ft.	<u> </u>
Fracked formation with 2500, gal.wat 1b.pressure to break tt. to	e ft.	
perforations from ft. to	ft.	
(8) SCREENS: Well screen installed ☐ Yes ☐ No		
		
Manufacturer's Name		
Type Model No. Slot size Set from ft. to	RI.	-
Slot size Set from ft, to		
Slot size	ft. Work started 4-14 1962. Completed 4-24	<u> 19 6</u> 2
(9) CONSTRUCTION:	(13) PUMP:	
Was well gravel packed? Yes I No Size of gravel: Dea	Manufacturer's Name	
Gravel placed from ft. to ft.	Type: H.P.	***************
Was a surface seal provided? * Yes I No To what depth?	ft.	
Material used in seal— cement	Well Driller's Statement:	
Did any strata contain unusable water? Yes No	This well was drilled under my jurisdiction and this	report is
Type of water? Depth of strata	true to the best of my knowledge and belief.	
Method of sealing strata off	NAME J.T.Miller.	
(10) WARRED I FIVE C.	(Person, firm, or corporation) (Type or prin	nt)
(10) WATER LEVELS:	Address Box 175, Aurora, Ore.	
Static level 12 ft. below land surface Date	I	
Artesian pressure lbs. per square inch Date	Driller's well number	
Log Accepted by:	[signed] A miller	
[Signed] Jak dennatory Date 4-25, 18	[Signed] (Well Driller)	
[Signed] Land (Owner)	License No. 7 Date 4-25-	19 62
		, 10XX.