CLAC

The original and first copy of this report are to be filed with the 102STATE OF OREGON (Please type or print) 013328 State Well No. .. STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion. State Permit No. Drawdown is amount water level is lowered below static level (11) WELL TESTS: (1) OWNER: Was a pump test made? ☐ Yes ☐ No If yes, by whom? ☐ ☐ Walter N. Eowrie Name 38 ft. drawdown after 55 " gal./min. with hrs. Address Rt. 2, Box 29A, Aurora Ore. ,, (2) LOCATION OF WELL: hrs. ft. drawdown after gal./min. with Bailer test clack. Driller's well number g.p.m. Date Artesian flow T. 4 5 Was a chemical analysis made?

Yes

No 14 Section Temperature of water Bearing and distance from section or subdivision corner Diameter of well below casing 10 (12) WELL LOG: ft. Depth of completed well Depth drilled 160 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. FROM MATERIAL surface (3) TYPE OF WORK (check): 40 sandy clay, brown Reconditioning [Abandon 🗌 Deepening [40 andonment, describe material and procedure in Item 12. sandy clay gray 60 coarse clay, brown (5) TYPE OF WELL: (4) PROPOSED USE (check): sand, water, red 68 ☐ Driven ☐ Rotary sandy clay, brown 74 Domestic 🗶 Industrial 🗌 Municipal 🕱 X Jetted 84 90 Irrigation [Test Well [Other Bored clay, brown sand, red. water 90 95 Threaded [Welded [(6) CASING INSTALLED: sand and gravel 95 100 100 sand, red 1.02 10' Diam. from 0 ft. to 156 ft. Gage 1/4 104 1021 gravel, water "Diam, from _____ ft. to ____ ft. Gage ____ 104 broken clay, sand, brown 150 sand.black Perforated? Y Yes No (7) PERFORATIONS: mill knife Type of perforator used Size of perforations L.L. perforations from perforations from 102 ft. to 103 perforations from perforations from ft. to ft. to perforations from Well screen installed ☐ Yes ☐ No (8) SCREENS: Manufacturer's Name Model No. ... 9-19-9-9-19 63 Completed Slot size _____ Set from ____ ft. to ____ ft. Work started Diam, Slot size Set from ft. to ... ft. Date well drilling machine moved off of well 19 6 (13) PUMP: (9) CONSTRUCTION: Rapidayton cement, bentonite Manufacturer's Name Type: Sub - 7 Well seal—Material used in seal

Depth of seal 20 ft. Was a packer used? Diameter of well bore to bottom of seal in. Water Well Contractor's Certification: Were any loose strata cemented off? Yes No Depth This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Yes I No Was well gravel packed? Tes No Size of gravel: ... Gravel placed from _____ft_to ____ NAME J.T.Miller Box 175, Aurora, Ore. (Type or print) Did any strata contain unusable water?

Yes

No Depth of strata Type of water? Method of sealing strata off Drilling Machine Operator's License No. 191 (10) WATER LEVELS: ft. below land surface Date Static level Contractor's License No. 7 Date 9-19- , 1963 lbs, per square inch Date Artesian pressure

WATER WELL REPORT

NOTICE TO WATER WELL CONTRACTOR