CLAC

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON-

=50

State Well No.

(1) OWNER:		(11) WELL TESTS: Drawdown is amoun	t water leve	l is
Name Frank Lais		Was a pump test made? ** Yes No If yes, by who	level om? dri	ller
Address Rte 1 Box 170		Yield: 250 gal./min. with 171 ft. drawe		10 hrs
Hubbard. Oregon		" " "		
		"		,,
(2) LOCATION OF WELL: County Clackamus Driller's well number		Bailer test gal./min. with ft. drawdown after hrs Artesian flow g.p.m. Date		
Bearing and distance from section or subdivisi	on corner	(12) WELL LOG: Diameter of well below	essing 1	6
-	1	Diameter of West Series	casing	フ ヿ
		Depth drilled 231 ft. Depth of completed		
		Formation: Describe by color, character, size of mate show thickness of aquifters and the kind and nature stratum penetrated, with at least one entry for each	of the mater change of	rial in each formation
		MATERIAL	FROM	TO
TYPE OF WORK (check): New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 12.		Surface	0	3
		Brown sandy clay	3	11
		Brown sand & small gravel	11	24
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	Coarse sand & gravel	24	28
Domestic Industrial Municipal	Rotary Driven D	Coarse sand	28	32
Irrigation Test Well Other	Cable ∰ Jetted ☐ Dug ☐ Bored ☐	Blue sandy clay	32	38
inigation & rest wen & other 2	Dug - Borea -	Clay & gravel	38	40
(6) CASING INSTALLED: Three	aded ☐ Welded 🏗	Bluesandy clay	40	78_
16 "Diam. from0 ft. to222 ft. Gage 4"		Grey sandy clay	78_	95
" Diam, from ft, to ft. Gage		Grey clay	95	114
" Diam. from ft. to ft. Gage		Broken sandy clay (blue & gr	01/	178
(7) PERFORATIONS: Perforated? Yes No		Blue sandy clay Brown clay	178	212
(1) 1 1111 011111101101		Brown sandy clay	212	214
Type of perforator used Size of perforations in. by in.		Black sand	222	
perforations from				231
perforations from				
### ##################################				
70) BOMBLING.	alled? 🗌 Yes 🔁 No			
anufacturer's Name		1		
-0 P	odel No.			
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.		Work started July 31 1964. Completed		1919 6
Diam. Slot size Set from	It. W It.	Date well drilling machine moved off of well Augu	<u> 191</u>	1961
(9) CONSTRUCTION:		(13) PUMP:		
Well seal—Material used in sealPuddled_Mud		Manufacturer's Name		
Depth of seal 18 ff. Was a packer used? NO		Type:		
Diameter of well bore to bottom of seal				
Were any loose strata cemented off? Yes		Water Well Contractor's Certification:		
Was a drive shoe used? ☐ Yes X No Swas well gravel packed? ☐ Yes X No Swas well gravel packed? ☐ Yes X No Swas Was well gravel packed?	Size of gravel:	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	n and this	; report i
A.C.	ft.	NAME John Truman Miller		
Did any strata contain unusable water? 🗍 Yes 💆 No		(Person, firm or corporation)		or print)
Type of water? Depth of	.=-	Address P O Box 42 Hubbard, Or	egon	
Method of sealing strata off		Drilling Machine Operator's License No. 27	7	
(10) WATER LEVELS:		Drilling Machine Operator's License No		
Static level Surface +1ft. below land	surface Date 9/19/64	[Signed] Water Well Contrac	tor)	

(USE ADDITIONAL SHEETS IF NECESSARY)