NOTICE TO WATER WELL CONTRACTOR The original and first copy. Of this report are to be given by the state of	OREGON State Well No.	1/2-19
within 30 days from the date of well completion. SALEM. OF (bo not write all	Ctate Dermit No	· ·
(1) OWNER:	(10) LOCATION OF WELL:	
Name RICHARD MOOR HOUSE	County Chack mas Driller's well number	
Address Rf. 3 -Box 180 Mochalla ORE	10 9	
Autress XI, O - 150 X 100 MINUSALE VICE		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	n corner
New Well		
If abandonment, describe material and procedure in Item 12.	(14) MARINED LENGTH Complete	. 11
	(11) WATER LEVEL: Completed we)]].
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ft.
Rotary Driven Domestic Industrial Municipal Cable Detted	Static level 32 ft. below land s	urface. Date 4-19-7
Dug 🛘 Bored 🗍 Irrigation 🗗 Test Well 🖂 Other 🔟	Artesian pressure lbs. per square	inch. Date
CASING INSTALLED: Threaded Welded	40	
CASING INSTALLED: Threaded Welded Welded Threaded Threade	(12) WELL LOG: Diameter of well b	elow casing
"Diam from ft to ft Gage	Depth drilled 35% ft. Depth of comple	eted well 350 ft.
"Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size a and show thickness and nature of each stratum	
	with at least one entry for each change of format	ion. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate princ	ipal water-bearing strata.
Type of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	Top Soil	0 1
240 perforations from 70 ft. to 115 ft.	BROWN + RED - CLAY	/ /2
180 perforations from 145 ft. to 155 ft.	11 - CEMBNIED BRAVEL	12 30
360 perforations from 265 ft. to 280 ft.	MED. + SINGLE GRAVE	90 78
18 Company 11 1 344 11 348 11	BROWN - CLAS + GRAVEL	28 90
(7) SCREENS: Well screen installed? Yes No		97 102
Manufacturer's Name	11 - 11 + GRAVIEL	102 109
TypeModel No	11 - SAND + 11	109 111
Diam. Slot size	11 - Chay + 11	11/ 127
Diam, Slot size Set from ft. to ft.	11 - 11	127 136
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	A CO CANNOT ALL	136 148
polities,	ROS CONTROL CLOS	1672 153
Was a pump test made? Yes No If yes, by whom?	BROWN - SANDY CLAY	153 157
Yield: 500 gal./min. with 6 ft. drawdown after 6 hrs.	BROWN -	164 175
" " " " " " " " " " " " " " " " " " " "	11 - SANDY 11	125 188
" " " " "	Rluse - 11 11	188 202
Bailer test gal./min. with ft. drawdown after hrs.	GRAV - 11 11	202 208 1
Artesian flow g.p.m.		COH/-
perature of water Depth artesian flow encountered ft.	Work started 3-29- 197/ Complete	d 4-29- 197/
(A) CONCERNICATION TO	Date well drilling machine moved off of well	5-/ - 199/
(9) CONSTRUCTION:	Duilling Machine Operatoric Contitionations	
Well seal-Material used DRIMB CLAY & BENTON	Drilling Machine Operator's Certification: This well was constructed under my	direct supervision
Well sealed from land surface toft.	Materials used and information reported	above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief	21 01
Diameter of well bore below sealin.	[Signed] (Drilling Machine Operator)	Date 5-/ 199/
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No	510
Number of sacks of bentonite used in well seal sacks Brand name of bentonite		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	
of waterlbs./100 gals	This well was drilled under my jurisdiction and this report is	
Was a drive shoe used? Yes ☐ No Plugs Size: location ft.	tide to the pest of my knowledge and belief.	
Did any strata contain unusable water? Yes	(Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address 5545 Vasie 4/4	SX S.E
Method of sealing strata off	1/1 2001	SALAM
	[Signed] Agalessa Ka Miller (Water Well Contr.	entor)
Was well gravel packed? ☐ Yes ☐ No Size of gravel:		
Gravel placed fromft. toft.	Contractor's License No Date	, 19 1/

NOTICE TO WATER WELL CONTRACTOR The original and first control	L REPORT CLAC	
effect with the	1145	
OOIL TOLL BRIEF OF		
within 20 days from the Gott ATE EN C. 131 = 12 to 130	State Permit No.	
of well completion. SALEM. OF: Do not write at	· · · · · · · · · · · · · · · · · · ·	
(1) OWNER:	(10) LOCATION OF WELL:	
	County Chack Mag. S Driller's well number	
Name RICHARD PRODUCTOUSIZE Address Rt. 3 - Box 180 ModALLIA OTTE.		
Address RT. 3 - Box 180 Muolalla 01212	34 34 Section 14 T. 4, S' R. 2 W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
	1 AG12 (2)	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.	
Rotary Driven Domestic Dindustrial Municipal	Static level ft. below land surface. Date	
Cable Jetted		
Dug Bored I Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED: Threaded □ Welded □	(12) WELL LOG: Diameter of well below casing	
	Depth drilled ft. Depth of completed well ft.	
ft. to ft. Gage		
"Diam. from	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,	
PERFORATIONS: Perforated? Ves No	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	
Type of perforator used	MATERIAL From To SWL	
Size of perforations in. by in.	GRAS - Stick S Chy & 208 232	
perforations fromft. toft.	11 - SANDY 11 11 732 738	
	11 - PACKEN SAND 238 241	
perforations from	Rhua Cont Strike Class 241 200	
perforations from ft. to ft.	11 - 07-14 - 01 12KG CLAY 241 264	
(7) SCREENS: Well screen installed? Yes No	8/101 Carro Andre 10 200	
Manufacturer's Name	BLACK - SAND F PRA GRANDER 275	
Type Model No	15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Diam. Slot size Set from ft. to ft.	11 - Stick 1 1 268 319	
Diam, Slot size Set from ft. to ft.	BROWN - 11 11 319 338	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	BLACK - COURSE SAND 345 348	
Was a pump test made? Yes No_If yes, by whom?		
.5	GRAY - CLAY STONE 348 350	
Yield: gal./min. with ft. drawdown after hrs.		
ii II II		
n n n		
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
Depth artesian flow encountered ft.	World shorted	
	Work started 19 Completed 19 Date well drilling machine moved off of well 19	
(9) CONSTRUCTION:		
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervision.	
Well sealed from land surface to ft	Materials used and information reported above are true to my	
Diameter of well bore to bottom of sealin.	best knowledge and belief.	
Diameter of well bore below seal in.	[Signed]	
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.	
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons		
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Was a drive shoe used? 🗆 Yes 🗆 No Plugs Size: location ft.		
Did any strata contain unusable water? Tyes 🖂 No	Name (Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address	
Method of sealing strata off	***	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed](Water Well Contractor)	
Gravel placed from	Contractor's License No	
	EETS IF NECESSARY)	
- Com additional SH	BEID IF NECESSARV)	