CLAC WATER WELL REPORT CEIVE of this report are to be APR 18 1973 the Well No. 45 014260 state of oregon filed with the (Please type or print) (ATE ENGINEE Permit No. STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date (Do not write above this line), LEM CREGON of well completion. (10) LOCATION OF WELL: (1) OWNER: James B. Parr County Clackanas Driller's well number Name Rt. 3, Bex 167 31 T. 45 R. 2E Address 14 Section W.M. Melalla, Oregen 97038 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning [Abandon | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven 🗀 Domestic | Industrial | Municipal | Static level ft. below land surface. Cable Jetted 17 Dug Bored | Irrigation X Test Well | Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded A (12) WELL LOG: Diameter of well below casing . 0 ft to 182 ft Gage . 250 Depth drilled ft. Depth of completed well "Diam. from 174 ft. to 228 ft. Gage 250 Formation: Describe color, texture, grain size and structure of materials; ft. to ft. Gage ... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Yes No. Type of perforator used Mills knife MATERIAL Top soil Size of perforations 40 Clay, brewn 7 d perforations from .. 180 Gravel, cemented 88 40 Curerforations from Gravel with strips of perforations from ... 22 elay, brown (7) SCREENS: Well screen installed?
Yes No Clay with gravel, blue 128 Manufacturer's Name Gravel, black, cemented 137 Model No. Gravel, small, sand, blac k748 153 Diam. Slot size Set from Clay, green 15 154 Diam. Slot size Set from Gravel, med., clay, green 155 Clay, blue 180 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Clay with gravel 188 39E Clsy, blue 198 Was a pump test made?
Yes No If yes, by whom? 213 Gravel & sand, black 213 220 gal./min. with ft. drawdown after hrs. Clay, blue 220 ,, ft. drawdown after 2 50 gal./min. with16 Bailer test perature of water 52 Depth artesian flow encountered. 1973 Completed Work started Date well drilling machine moved off of well (9) CONSTRUCTION: Bentenite Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Well sealed from land surface to .. Materials used and information reported above are true to my Diameter of well bore to bottom of seal. best knowledge and belief. Diameter of well bore below seal Date ...3./.30....., 19.7.3 Number of sacks of cement used in well seal ... Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction that true to the best of my knowledge and belief.

Name

C. G. Westerberg

(Person firm or corporation) (Type or print) This well was drilled under my jurisdiction and this report is Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable wate?

Yes

No Type of water? Method of sealing strata off Was well gravel packed? Yes T No (Water Well Contractor) Date 3/30 86 Contractor's License No. Gravel placed from (USE ADDITIONAL SHEETS IF NECESSARY)

NOTICE TO WATER WELL CONTRACTOR

The original and first copy