

WATER WELL REPORT
STATE OF OREGON

CLAC
014650

Copy RECEIVED Original

JUN 10 1981

WATER RESOURCES DEPT
SALEM, OREGON

State Well No. 3S/4E-26ac
State Permit No. 6-9553

(1) OWNER:

Name Larry Andre
Address Rt-3 Bx 862
City Estacada State Ore.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
Rotary Mud Dug
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other
Thermal: Withdrawal Reinjection

(5) CASING INSTALLED:

Steel Plastic
Threaded Welded
10" Diam. from +1 ft. to 168 ft. Gauge 1.250

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No
Type of perforator used MILLS KNIFE
Size of perforations 1/4 in. by 4 in.
60 perforations from 167 ft. to 158 ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
gal./min. with ft. drawdown after hrs.
Air test 100 gal./min. with drill stem at 20 ft. 2 hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water 52 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No
Well seal—Material used Cement Grout
Well sealed from land surface to 24 ft.
Diameter of well bore to bottom of seal 1 1/2 in.
Diameter of well bore below seal 10 in.
Number of sacks of cement used in well seal 16 sacks
How was cement grout placed? Percent was placed by the pump in a thin slurry
5/10/79
Was pump installed? Type HP Depth ft.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Clackamas Driller's well number
SW 1/4 NE 1/4 Section 26 T. 35 R. 4E W.M.
Tax Lot # 3501 Lot Blk Subdivision
Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 118 ft.
Static level 80 ft. below land surface. Date 5/15/79
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10
Depth drilled 242 ft. Depth of completed well 200 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Overburden	0	4	
Clay H Brn	4	12	
Volcanic Rock	12	26	
Basalt Red Soft	26	85	
Basalt H Gray	85	115	
Basalt H Gray to Brn	115	150	118
Gravel Small & Med	150	160	
Basalt Gray	160	180	
Basalt Gray Soft	180	242	

Work started 5/10 19 79 Completed 5/30 19 79
Date well drilling machine moved off of well 6/2 19 79

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Don Jounon Date 6/10/81
(Drilling Machine Operator)
Drilling Machine Operator's License No. 231

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Forreman Drilling
(Person, firm or corporation) (Type or print)
Address P.O. Box 296 Estacada
[Signed] Don Jounon
(Water Well Contractor)
Contractor's License No. 477 Date 6/10 1981