File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

CLAC STATE ENGINEER WELL REPORT 015039 ate Well No. J

(1) OWNER:	(11) WELL	lower	down is amount ed below static le	evel	is	
Name Mt. Hood National Forest		t made? Yes N			hva	
Address Estacada, Oregon Fish Creek Forest Camp	Yield:	gal./min. with	ft. drawdov	vii aiter	hrs.	
	,,	"	,,		11	
(2) LOCATION OF WELL:	Bailer test 20) gal./min. with †.O	tal ft. drawdov	vn after 2	hrs.	
County Clackamas Owner's number, if any—	Artesian flow		o.m. Date			
SE 14 SE 14 Section 21 T. 5S R. 5E W.M.	Temperature of	water 48 was a ch	emical analys i s n	ade? 🗌 Ye	s 📆 No	
Bearing and distance from section or subdivision corner	(10) YEZET I	TOC.		6	inches.	
	(12) WELL Depth drilled	1 /	ameter of well h of completed v		menes. 3	
	Formation: Des	scribe by color, charactof aquifers and the kitted, with at least one	ter, size of mater	ial and struc	cture, and il in each	
	structure penetru	MATERIAL	clory for cacio	FROM	то	
(3) TYPE OF WORK (check):	Dirt and	course gravel		0	3	
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		emented sand,	gravel			
andonment, describe material and procedure in Item 11.		and boul	_	3	_25	
(4) PROPOSED USE (check): (5) TYPE OF WELL:		vel and bould		25	30	
Determ II Determ II		d and fine gr	avel	30	_35	
Domestic ☐ Industrial ☐ Municipal ☐ Cable ☐ Jetted ☐ Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐	Grey soli	d rock		35	46	
(A) CACING INCOMITED.				_		
(6) CASING INSTALLED: Threaded ☐ Welded ₺ 8 "Diam. from				-		
6 "Diam from 0 ft to 35!-6" ft Gage Std.				-		
" Diam. from ft. to ft. Gage				-		
				-		
(7) PERFORATIONS: Perforated? Yes No						
Type of perforator used						
SIZE of perforations in. by in. perforations from ft. to ft.						
perforations from ft. to ft.						
perforations from ft. to ft.					-	
perforations fromft. toft.						
perforations from ft. to ft.						
(C) CODDING.						
(8) SCREENS: Well screen installed 口 Yes 図 No						
Manufacturer's Name Model No.						
Slot size Set from ft. to ft.						
Diam Slot size Set from ft. to ft.	Work started	2/28/6] 19	. Completed	3/17/61	19	
(9) CONSTRUCTION:	(13) PUMP	•				
Was well gravel packed? ☐ Yes ☒ No Size of gravel:	1 '	Name				
Gravel placed fromft. to ft.	Type:					
Was a surface seal provided? Yes No To what depth? ft.		T T				
Material used in seal—	Well Driller's					
Did any strata contain unusable water? 🔀 Yes 🗌 No		was drilled under : est of my knowledge		and this	report is	
Type of water? Surface waterDepth of strata 16	: Luc to me be	so or my knowledge	and bener.			
Method of sealing strata off With 8" casing	NAME Stei	nman Bros. (Person, firm, er cor	poration)	Type or priv	 nt)	
(10) WATER LEVELS:		Address 5112 S.E. McLoughlin Blvd.				
Static level 20 ft. below land surface Date3_17_61	Audress-/	Milwaukie 22, Oregon				
Artesian pressure lbs. per square inch Date	Driller's well	number	10-61	0		
Log Accepted by:	[Signed]	Steenme	m 13	02.		
[Signed] Sing SMC (Ind New Date 4/18, 196]	License No		Date .4/17.	/61	, 19	