## File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

## APR 28 1961 WATER WELL REPORT STATE ENGINERATE OF OREGON



State Well No. 5/6-7 State Permit No. ..

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level				
Name Mt. Hood National Fore	Was a pump test made?   Yes				
Address Estacada, Oregon	Yield: gal./min. w	rith ft. drawdow	m after	hrs.	
Roaring River Forest (	- 19 19	"		,,	
(2) LOCATION OF WELL:			ith total ft. drawdow	m after	2 hrs.
County Clackamas Owner's number, if any-		Artesian flow	g.p.m. Date	II at ct	
NE ¼ NE ¼ Section 7 T.	Temperature of water 52 Was a chemical analysis made?  Yes X No				
Bearing and distance from section or subdivis	ion corner	Temperature of water 5- wa	s a chemical allayous in		<u> </u>
		(12) WELL LOG: Depth drilled 125 ft.	Diameter of well		inches. ft.
		Formation: Describe by color,	Depth of completed w character, size of materi the kind and nature of	al and strue	cture, and al in each
		stratum penetrated, with at lea	ist one entry for each c	FROM	TO
(a) TYOPY OF WORK ( I . I).		Top soil		0	2
(3) TYPE OF WORK (check):	Brown silty clay		2	9	
New Well ☑ Deepening ☐ Record Comment, describe material and proceed	Loosley cemented gravel (course)		9	18	
		Brown sandy clay		27	
PROPOSED USE (check):	PROPOSED USE (check): (5) TYPE OF WELL:  Soft grey solid rock  Rotary Driven Cable Detect Det		sk	27	<u>50</u>
Domestic 🛭 Industrial 🗌 Municipal 🗎				50	55
Irrigation 🔲 Test Well 🗌 Other 🔲				55	58
	<u></u>	Grey shale (1 gpm)		58	_59
(6) CASING INSTALLED: Threaded   Welded   Soft grey rock				_ 59	_125_
				-	ļ
	•			<u> </u>	
" Diam. fromft. to	it. Gage			-	<u></u>
(7) PERFORATIONS: Po	erforated? 🗌 Yes 🏿 No			-	
Type of perforator used				-	
SIZE of perforations in. by	in.	.			
perforations from	ft. to ft			-	<del>                                     </del>
	ft. to ft.			<del>                                     </del>	
	ft. to ft.				
perforations from					
perforations from	ft. to ft	-			
(O) DOILLIE	installed 🗌 Yes 🏌 No				
Manufacturer's Name	Model No.				<del>                                     </del>
	*	<b>1</b> ————————————————————————————————————		1	
Diam. Slot size Set from Set f	ft. to ft	_ I	19 . Completed	11/11/6	7 19
Diam Slot size Set Irolii	16, 60	Work started 3/17/61	10 . COMPLETE		<u></u>
(9) CONSTRUCTION:		(13) PUMP:			
Was well gravel packed? ☐ Yes 🔀 No Size of gravel:		Manufacturer's Name	***************************************		
Gravel placed from ft. to ft.		1 - 2	pump	H.P	
Was a surface seal provided? 🗌 Yes 📋 No	To what depth? ft				
Material used in seal—	Yes Claro	Well Driller's Statement:		and this	ranant is
Did any strata contain unusable water?		This well was drilled u	nder my jurisaiction wledge and belief.	. and this	report is
Type of water Surface water Depth of Method of sealing strata off Six inch					
Method of sealing strata off STX THEFT	sasing	NAMESteinkan Bros. (Person, firm	. cr corporation) (	Type or pri	int)
(10) WATER LEVELS:		Address15112 S.E. Mc	_		
	nd surface Date 11/11/6]	- Audiess.L.J.L.LD.		lwankie	22, Ore
Artesian pressure lbs. per so	Driller's well number	11-61			
Log Accepted by:	,	[Signed] Alexa	man B	704.	,
Signed Howar & Welle Mer Trate	Frederica Manuscanian	(Well Driller)	- 1/-		
DIETICAL SERVICE TO THE PROPERTY DOLL	,yy	"I Ticongo No	Thata li/l'	7/67	19