NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

State Well No.

of well completion.		State Permit No.			
(1) OWNER:	=	(11) WELL TESTS:	Drawdown is amount v		is
Name United States Dept.	of Agriculture	Was a pump test made? ☐ Y	lowered below static is		
Address U S Forest Service P O Box 3233		Yield: gal./min.	with ft. drawdow	n after	hrs.
Portland 10, Oregon		"	,,		,,
(a) TOCATION OF THEFT		"	75		**
(2) LOCATION OF WELL:		Bailer test 10 gal./mir	n. with 6 ft. drawdov	wn after	3 hrs.
County Clackamas Driller's wel		Artesian flow	g.p.m. Date		
1/4 1/4 Section 8 T.	58 R. 6E W.M.	Temperature of water	Was a chemical analysis i	made? 🔲 Y	es 賽 No
Bearing and distance from section or subdivis	ion corner	(19) WELL TOO.			
<u> </u>		(12) WELL LOG: Depth drilled 38	Diameter of well below of		U
Sunstrip Campground			ft. Depth of completed w		ft.
	-	Formation: Describe by colo show thickness of aquifers a stratum penetrated, with at	nd the kind and nature of	the materi	il in each
	, , , , , , , , , , , , , , , , , , ,	stratum penetratea, with at	teast one entry for each t	nunge of f	ormanon.
		MATE	RIAL	FROM	TO
(3) TYPE OF WORK (check):	Sand	7 37 7	0	6	
Well ☐ Deepening ☐ Recon	Cemented gravite and cobble				
andonment, describe material and proced	Boulders		6	22	
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	Gravel, Gobble	, Boulders, Water	22	38
Domestic 🔀 Industrial 🗍 Municipal 🗎	Rotary Driven			 	
Irrigation ☐ Test Well ☐ Other ☐	Cable M. Jetted []				
	Dug Bored			-	
(6) CASING INSTALLED: The	readed Welded				
6 Tiam. fromO ft. to	38 ft. Gage280			1	
ft. to	ft. Gage			 	
ft. to	ft. Gage	-		-	·
(A) DEDEOD AMIONG				-	
(*)	rforated? Tyes Tho			 	
Type of perforator used				1	
Size of perforations in. by	in.				
perforations from					
perforations from					
perforations from perforations					
perforations from					
perforations from	16. 10				
(8) SCREENS: Well screen in:	stalled 🗌 Yes 🔀 No			<u> </u>	
Manufacturer's Name	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			<u> </u>	
, a Mo				10	
Solon, Slot size Set from	Work started 1/25	1963 Completed 2	4	19 63	
Diam Slot size Set from	ft. to ft.	Date well drilling machine	moved off of well 2,	/8	<u> 19 63</u>
(9) CONSTRUCTION:		(13) PUMP:			
Well seal—Material used in sealBentonite		Manufacturer's Name	Demings		
Depth of seal ft. Was a packer used? Yes			<u> </u>	H.P	·····
Diameter of well bore to bottom of seal9in.					
Were any loose strata cemented off? ☐ Yes }	No Depth	Water Well Contractor's	Certification:		•
Was a drive shoe used? ₹ Yes ☐ No			under my jurisdiction	and this	report is
Was well gravel packed? ☐ Yes ☒No Size	of gravel:	true to the best of my kr	lowledge and better.	-	
Gravel placed from ft. to	ft.	NAME A. M. Jann	sen Drilling Com	oanv	
Did any strata contain unusable water? Yes X No		(Person, firm or corporation) (Type or print)			
Type of water? Depth of	strata	Address 21075 8 W	+V Hiway Aloha	a, Oreg	<u>on</u>
Method of sealing strata off		Drilling Machine Operat	tor's Tiennes Wa	236	
(10) WARED TEXTELS.		Drining Machine Oberat			
(10) WATER LEVELS:	2010	[Signed]	and Ul. 111.	MM	llu
	surface Date 2/8/63		(Water Well Contractor)	,	
Artesian pressure lbs. per squ	are inch Date	Contractor's License No.	79 Date3/5	}	., 1963