DESENVED SEP = 7 1962

015115 WATER WELL REPORT DIG NEGATIVE No. // -4

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

| (1) OWNER: Name Mrs. Florence Uhrig | (11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes Mo If yes, by whom? |
|--|--|
| Address Rte.3, Box 314 | Yield: gal./min, with ft. drawdown after hrs |
| Molalla, Oregon | " " " " |
| (2) LOCATION OF WELL: | 31 1) 3) 3) |
| County Clackamas Owner's number, if any— | Bailer test 70 gal./min. with 20 ft. drawdown after 1 hrs |
| 1/4 1/4 Section T. R. W.M. | Artesian flow g.p.m. Date |
| Bearing and distance from section or subdivision corner | Temperature of water XX Was a chemical analysis made? Yes Y N |
| 1000 ft. north & 1050 ft. west from | (12) WELL LOG: Diameter of well6 inches |
| S.E. corner of Section 4, T.6 S., | Depth drilled 110 ft. Depth of completed well 110 ft |
| 1 E., of W.M. | Formation: Describe by color, character, size of material and structure, an show thickness of aquifers and the kind and nature of the material in each |
| | show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation |
| | MATERIAL FROM TO |
| (3) TYPE OF WORK (check): | Top soil-brown 0 2 |
| New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ | 0 6 |
| andonment, describe material and procedure in Item 11. | Clay- yellow 6 15 |
| DOODOGED TIGE (I . I) | Claystone-gray 15 45 |
| (4) PROPOSED USE (check): (5) TYPE OF WELL: | (Water- 5 gpm. at 45 ft.) |
| Domestic H Industrial Municipal Rotary Driven Cable Detted | Claystone-dark gray, med.hd. 45 73 |
| Irrigation Test Well Other Dug Bored | Claystone-light-gray, hard 73 110 |
| (C) CACING INCOATTED. | (Water - at 105 ft.) |
| (6) CASING INSTALLED: Threaded Weided 1 Gage 250 | |
| "Diam. from ft, to ft, Gage ft, Gage | |
| "Diam. from ft, to ft. Gage ft. Gage | |
| Diam. From | |
| (7) PERFORATIONS: Perforated? ☐ Yes 전 No Type of perforator used | |
| SIZE of perforations in. by in. | |
| perforations from ft. to ft. | |
| (8) SCREENS: Well screen installed Yes X No | |
| Manufacturer's Name | |
| Model No. | |
| n | |
| Diam, Slot size Set from ft. to ft. | Work started May 12, 16]. Completed May 18, 15] |
| (9) CONSTRUCTION: | (19) DITEMP. |
| Was well gravel packed? ☐ Yes ☑ No Size of gravel: | (13) PUMP: Manufacturer's Name Universal |
| Gravel placed from ft. to ft. | Submersible 3 |
| Was a surface seal provided? \(\frac{1}{2}\) Yes \(\sigma\) No To what depth? \(\frac{16}{2}\) ft. | Type: H.P. |
| Material used in seal— Puddled clay | Well Driller's Statement: |
| Did any strata contain unusable water? ☐ Yes X☐ No | This well was drilled under my jurisdiction and this report i |
| Type of water? Depth of strata | true to the best of my knowledge and belief. |
| Method of sealing strata off | NAME R. Stadeli & Sons |
| (10) WATER I EVELS. | (Person, firm, or corporation) (Type or print) |
| (10) WATER LEVELS: Static level 15 ft. below land surface Date 5/18/61 | Address Rte.3, Box 169, Silverton, Ore. |
| Artesian pressure lbs. per square inch Date | Theillands and I amend an |
| AND FOR MINISTER AND A STATE OF THE STATE OF | Driller's well number |
| Log Accepted by: | [Signed] Jaul X. Madelli (Well Driller) |
| [Signed] Date, 19 | License No. 296 Date June 20 , 19 61 |