CLAG NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be OCT 10 WATER WELL REPORT STATE ENGINEER, SALEM, OREGON 97310 STATE OF OREGON 6-4270 (Please type or print) 6-3 608 State Permit No. G-3394 Drawdown is amount water level is lowered below static level (11) WELL TESTS: (1) OWNER: Mr. Victor Schneider Was a pump test made? A Yes D No If yes, by whom? Drillers Name Rte. 1 , Box 53 400 gal./min. with 32 ft. drawdown after Mt. Angel, Oregon (2) LOCATION OF WELL: XX ft. drawdown after XX hrs. Bailer test gal./min. with Clackamas County Driller's well number Artesian flow $\mathbf{x}\mathbf{x}$ g.p.m. Date Temperature of water XX Was a chemical analysis made?

Yes Mo Bearing and distance from section or subdivision corner (12) WELL LOG: Diameter of well below casing 2250 ft. north & 1200 ft. west of corner of section 5,T6 S., R.1 E. 198 198 ft. Depth of completed well Depth drilled Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL FROM (3) TYPE OF WORK (check): 0 Top soil- brown w Well 🔄 Deepening [Reconditioning [Abandon [7] 10 Clay- brown indonment, describe material and procedure in Item 12. 10 Rock- grey & brown 25 Clay- brown (4) PROPOSED USE (check): (5) TYPE OF WELL: 33 Clay- grey Rotary | Driven [7] Domestic 🛣 Industrial 🗌 Municipal 60 <u>Clay-dark grey & sandy</u> (X Jetted [Cable Irrigation Test Well Other 87 Dug Bored 🔲 Clay- yellow & sticky 105 (6) CASING INSTALLED: Clay- light grey Threaded [112 Clay- yellow & sticky 8 "Diam. from 1'above to 119 ft. Claystone-grey & hard 117 167 182 Claystone-grey & very Claystone-grey & hard 182 (7) PERFORATIONS: Perforated? ☐ YesXIX No Water is coming in the last 40 ft. Type of perforator used Size of perforations in. by perforations from ft. to perforations from ft. to ft. .. perforations from ft. to ft. perforations from _____ ft. to ____ ft. (8) SCREENS: Well screen installed? | Yes X No Model No. Slot size Set from ft. to Work started July 18, 1966 Completed July 23, Diam, Slot size Set from ft. to Aug.1. Date well drilling machine moved off of well (9) CONSTRUCTION: (13) PUMP: well seal—Material used in seal Bentonite & puddled Jacuzzi Turbine ft. Was a packer used? no Diameter of well bore to bottom of seal _____in. Water Well Contractor's Certification: Were any loose strata cemented off? Tyes X No Depth Was a drive shoe used? X Yes ☐ No This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was well gravel packed? ☐ Yes 🕱 No Size of gravel: .. NAME R. Stadeli & Sons Gravel placed from ft. to (Person, firm or corporation) (Type or print)

Address Rte. 3,Box 169,Silverton,Oregon Did any strata contain unusable water?

Yes X No Type of water? $\mathbf{x}\mathbf{x}$ depth of strata Method of sealing strata off Drilling Machine Operator's License No. 322 & 84 (10) WATER LEVELS: ft. below land surface Date 7/25/66

Contractor's License No. 296 Date 10/7/66 19

Static level

Artesian pressure