WA	TER	W	EL	L	RE	POÌ	₹
		•		~~~			

1169 Mo	rilling, Inc. NOV 2 0 1991 25/8E-19al. blalla Ave. by, OR 9704 WATER RESOURCES DEPT.							
Well Number: 01 Lost Creek Campgro	County Latitude Longitude Longitude							
OR Zip 97030	Township 2 South Nors. Range 8 East E or W. WM. Section 19 SE 4 NE 4							
. 🗖	Tax Lot Lot Block Subdivision							

(1) OWNER: Well Number: 01	(9) LOCATION OF WELL by legal description:	
Name Mt. Hood National Forest Lost Creek Campgrou	County Extitude Eorgitude	•
Address 2955 NW Division St. City Gresham State OR Zip 97030	Township 2 South Nors. Range 8 East Eor W.	.WM.
	Section 19 SE 4 NE 4	
(2) TYPE OF WORK:	Tax Lot Block Subdivision	
☑ New Well ☐ Deepen ☐ Recondition ☐ Abandon	Street Address of Well (or nearest address) Lost Creek Camps End of Forest Rd, 18	round
(3) DRILL METHOD		رعاد
☑ Rotary Air ☐ Rotary Mud ☐ Cable	(10) STATIC WATER LEVEL:	-
U Other	16ft. below land surface. Date10-2	2-91
(4) PROPOSED USE:	Artesian pressurelb. per square inch. Date	
□ Domestic □ Community □ Industrial □ Irrigation	(11) WATER BEARING ZONES:	
☐ Thermal ☐ Injection ☒ Other Campground	Depth at which water was first found25 '	
(5) BORE HOLE CONSTRUCTION:		CHI
Special Construction approval Yes No Depth of Completed Well 57 ½ ft. Yes No \square	From To Estimated Flow Rate 25 57½ 48 gpm	SWL
Explosives used Type Amount	25 57½ 48 gpm	16
HOLE SEAL Amount		
Diameter From To Material From To sacks or pounds		
10" 0 21 Cem. & Bent 0 21 22 Sacks	(12) WELL LOG:	1
6" 21 58½	Ground elevation	
	Material From To	SWL
	Sand gray course gravel gray	
How was seal placed: Method	-small 0 57	
Backfill placed fromft. toft. Material		
Gravel placed fromft. toft. Size of gravel	Sand gray course gravel gray	
	small wood pieces 57 58\frac{1}{2}	16
(6) CASING/LINER:		
Diameter From To Gauge Steel Plastic Welded Threaded $6'' + 1\frac{1}{2} + 58\frac{1}{2}$		
Liner:	27	
	22	
Final location of shoe(s) 58½		
(7) PERFORATIONS/SCREENS:		11-11-11-11
Perforations Method		
Screens Type Material		
Slot Tele/pipe		-
From To size Number Diameter size Casing Liner	· 6	
N/A D D		
T/A		
	10.01.01	
	Date started 10-21-91 Completed 10-22-91	
(O) WITH X (D) C(D) C	(unbonded) Water Well Constructor Certification:	
(8) WELL TESTS: Minimum testing time is 1 hour	I certify that the work I performed on the construction, altered	
☐ Pump ☐ Bailer ☒ Air ☐ Artesian	abandonment of this well is in compliance with Oregon well cons standards. Materials used and information reported above are true to	truction
Yield gal/min Drawdown Drill stem at Time	knowledge and belief.	-
48 38. 1 hr.	WWC Number 1	<u>547</u>
50	Signed Calce Date Nov. 1, 19	91
	(bonded) Water Well Constructor Certification:	
Temperature of water 47° Depth Artesian Flow Found	I accept responsibility for the construction, alteration, or abanc	
1	will a checognized on this wall during the construction detec reported a	norra all

Did any strata contain water not suitable for intended use?

Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other.

Yes By whom .

Was a water analysis done?

Depth of strata:

belief...

Signed

WWC Number

Nov.

work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and

553