

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

CLAC
18836

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

FEB 7 1969

33/w-10

State Well No. ~~2410-10~~

STATE ENGINEER

SALEM, OREGON

Clackamas Co.

(1) OWNER:

Name Lee Thompson
Address Rt 2 Sherwood, Ore

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
" Diam. from 0 ft. to 40 ft. Gage 3.5
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 30 ft. below land surface Date 1-14-69
Pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? Driller
Yield: 200 gal./min. with 150 ft. drawdown after 2 hrs.
172 " 90 " 1 "
100 " 30 " 1 "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water 48 Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Cement
Depth of seal 40 ft.
Diameter of well bore to bottom of seal 14 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Clackamas Driller's well number 1969-1
1/4 Section 10 T. 23 R. 1W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8"
Depth drilled 182 ft. Depth of completed well 182 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Topsoil	0	3	
Clay brown	3	7	
Basalt decomposed	7	18	
Basalt loose	18	24	
Basalt broken	24	34	
Basalt black	34	65	
Basalt porous	55	60	
Basalt brown	60	74	
Basalt black	74	118	
Basalt porous 85 Gpm	118	122	30
Basalt black	122	133	
Basalt porous	133	134	
Basalt black	134	136	
Basalt porous 100 Gpm	136	137	30
Basalt black hard	137	160	
Basalt porous	160	170	
Basalt crevassed 200 Gpm	170	180	30
Basalt black	180	182	30

Work started Dec 23 1968 Completed Jan. 14 1969

Date well drilling machine moved off of well Jan 14, 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Marvin D. Gyles Date Feb 5, 1969
(Drilling Machine Operator)

Drilling Machine Operator's License No. 224

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Styles Drilling & Supply Inc.
(Person, firm or corporation) (Type or print)

Address Opadstone, Oregon

[Signed] George H. Styles
(Water Well Contractor)

Contractor's License No. 58 Date 2-6-1969