

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT **CLAC**

STATE OF OREGON
(Please type or print)

(Do not write above this line)

State Well No. 3518E-24

State Permit No. _____

01918

(1) OWNER:

Name Dee Darr Co.--Summit Ski Area
Address Mountain Shop Box 85
Government Camp, Or. 97028

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 111 ft. Gage .250
5" Diam. from 101 ft. to 146 ft. Gage .188
" Diam. from _____ ft. to _____ ft. Gage _____

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used torch
Size of perforations 3/16 in. by 12 in.
20 perforations from 106 ft. to 146 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
15 gal./min. with 84 ft. drawdown after 1 1/2 hrs.
" " " " " "
" " " " " "
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal--Material used cement
Well sealed from land surface to 38 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 25 sacks
How was cement grout placed? pressure gun grouted

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Clackamas Driller's well number D281-80
1/4 1/4 Section 24 T. 3S R. 8E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 6 ft.
Static level 26 ft. below land surface. Date 2-7-80
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 155 ft. Depth of completed well 146 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
topsoil	0	2	
clay sandy & boulders	2	12	
water bearing			
boulders & clay	12	43	
boulders & sand & soft rock	43	55	
sand waterbearing	55	63	
boulders	63	92	
rock fract. waterbearing	92	108	26
rock hard	108	121	
rock soft waterbearing	121	138	
rock soft	138	155	

Work started 1-7 1980 Completed 2-6 1980
Date well drilling machine moved off of well 2-7 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] William J. Baker Date 2-8, 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1169

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name S & M DRILLING & SUPPLY, INC.
(Person, firm or corporation) (Type or print)

Address 399 S.E. Walnut St. Canby, Or.

[Signed] W. H. Hance
(Water Well Contractor)

Contractor's License No. 497 Date 2-8- 80