NOTICE TO WATER WELL CONTRACTOR The original and first copy WATER WELL REPORT of this report are to be filed with the STATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) (Do not write above this line) within 30 days from the date State Permit No. of well completion. G-4419 (1) OWNER: (11) LOCATION OF WELL: Tom Dybvad Clackamas Rt. 2, Box 163 W M Canby, Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning [Abandon □ If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: Driven 🗀 Rotary Domestic | Industrial | Municipal | Cable Jetted | Depth drilled ft. Depth of completed well Irrigation X□ Test Well □ Other Bored Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, CASING INSTALLED: Threaded | Welded with at least one entry for each change of formation. Report each change 446 ft. Gage . 250 0 ft. to in position of Static Water Level as drilling proceeds. Note drilling rates." Diam. from 446 ft. to 486 MATERIAL 483 ft. to 538 ft. Gage 10 Ga. Pop soil, brown C<u>lay, tan</u> 12 PERFORATIONS: Perforated? T Yes | No. Soft silty clay ype of perforator used 12 in. Mills k. 10 in. Clay, blue 40 in. 10 12 Size of perforations in. by 40 54 Cemented gravel 486 perforations from ... C<u>lay, tan</u> 114 118 ... perforations from .. Gravel 192 189 nerforations from 68 Clay, brown 40 218 222 73 Gravel, cemented 68 269 perforations from Clay, brown 92 Gravel 96 (7) SCREENS: Well screen installed? Yes X No 96 Clay, blue 778 Manufacturer's Name Clay, brown 110 114 Coarse brown sand & grave Diam. Slot size Set from ft. to ft. 118 Clay, blue Diam. Slot size Set from ft. to ft. C<u>lay, brown</u> 146 150 (8) WATER LEVEL: Completed well. lay, grey level ft. below land surface Date 11/9 Clay, olive green lsy, grey, sticky esian pressure lbs. per square inch Date Clay, blue Drawdown is amount water level is lowered below static level (9) WELL TESTS: Clay, grey, gritty Was a pump test made? Yes \(\bar{\text{No}}\) No If yes, by whom? Cont. Work started 160 gal./min. with 32 ft. drawdown after 27 1967 Completed Aug. 320 Date well drilling machine moved off of well 41/2, 400 **Drilling Machine Operator's Certification:** 580 111This well was constructed under my direct supervision. Mate-Bailer test gal./min. with ft. drawdown after rials used and information reported above are true to my best knowledge and belief. g.p.m. Date Artesian flow [Signed] Temperature of water 56 Was a chemical analysis made? ☐ Yes XNo Date <u>11/15</u>..., 19...6:7 (10) CONSTRUCTION: Drilling Machine Operator's License No.86.... Bentonite clay Well seal-Material used .. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is Diameter of well bore to bottom of seal ... true to the best of my knowledge and belief. Were any loose strata cemented off? Yes T No Depth NAME C. C. Westerberg (Person, firm or corporation) (Type or print) Was a drive shoe used?^X□ Yes □ No Did any strata contain unusable water? Yes 1 No Address Rt. 1. Type of water? depth of strata Method of sealing strata off Was well gravel packed? ☐ Yes 🛣 No Contractor's License No. 86 Date 11/15 19 67 Gravel placed from ft. to ft.

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the


STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)
(Do not write above this line)

20 m on 12 m



5/1-摩舞

State Permit No.

G-4419

(1) OWNER:	(11) LOCATION OF WELL:		
Name Tom Dybyad	County Driller's well number		
Address Rt. 2. Box 163	1/4 1/4 Section T. R. W.M.		
Canby Oregon	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision	Corner	
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing		
Rotary Driven Domestic Industrial Municipal			
Cable	Depth drilled ft. Depth of comple		ft.
CACING INCHALLED.	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,		
CASING INSTALLED: Threaded Welded	with at least one entry for each change of form.	ation. Report each	change
"Diam. from ft, to ft. Gage ft	in position of Static Water Level as drilling pro		
"Diam. from	MATERIAL	From To	SWL
" Diam, from ft, to ft, Gage	Sand, med., black	191 194	<u>47</u>
PERFORATIONS: Perforated? Yes No.	Clay, black	194 218	
Type of perforator used	Clay, with small gravel	218 219	
Size of perforations in. by in.	Black sand, fine to med.	219 225	<u>62</u>
perforations from ft. to ft.	Clay, black	225 246	
perforations from	Clay, blue	246 270	62
perforations from tt, to tt.	Sand, black fine	270 278 278 310	UZ.
perforations from ft. to ft.	Clay, grey to blue	310 316	
perforations from ft. to ft.	Sand, fine, grey	316 411	
	Clay, blue to grey Sandy silt	411 415	
(7) SCREENS: Well screen installed? Yes No	Sand fine, grey	415 416	51
Manufacturer's Name	Clay, blue to grey& tan	416 480	
Type Model No	Clay, black, sandy	480 485	
Diam Slot size Set from ft. to ft.	Sand. black	485 487	37
Diam. Slot size Set from ft. to ft. to ft.	Clay, blue to grey	487 494	
(8) WATER LEVEL: Completed well.	Sand, black, med	404 400	37
Similar level ft, below land surface Date	Clay, grey	499 515	
rtesian pressure lbs. per square inch Date	Sandy formation, black	515 523	37
	Clay, blue	523 530	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Sandym clay with gravel	530 535	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	Clay, blue, sticky	535 538	
gal./min. with ft. drawdown after hrs.	Work started 19 Completed 19		19
" " "	Date well drilling machine moved off of well		19
" " " "	Drilling Machine Operator's Certification:		
Bailer test gal./min, with ft. drawdown after hrs.	This well was constructed under my di rials used and information reported above		
Artesian flow g.p.m. Date	knowledge and belief	e are true to m	y Desi
Temperature of water	[Signed] C. Musterberg	Date,	19
(10) CONSTRUCTION:	(Drilling Machine Operator)		
Well seal—Material used	Drilling Machine Operator's License No		
Depth of seal ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdiction and this report is		
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No	NAME (Person, firm or corporation)	(Type or print)	
Did any strata contain unusable water? Yes No		· ·	
Type of water? depth of strata	Address		
Method of sealing strata off	[Signed] Westerney		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contrac	tor)	
Gravel placed from ft. to ft.	Contractor's License No Date	, 1	l9