NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

Gravel placed from ...... ft. to \_\_\_\_

## WATER WELL REPORRECEIVED

STATE OF OREGON 02056 ease type or print)

- MAR 9-1976

(Do not write above this line) ATER RESOURCES DEPT.

SALEM. OREGON (1) OWNER: (10) LOCATION OF WELL: Natalia Matveen Name County Clackamas Driller's well number Address Rt 2 Box 157J 14 Section 11 T. 5 R. 1 Woodburn, Orezon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well 17 Deepening [ Reconditioning [ Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven [] Domestic Industrial | Municipal | Static level Cable ft. below land surface. Date Jetted | Dug Irrigation [ Test Well [ Other Bored | Artesian pressure lbs. per square inch. Date (5) CASING INSTALLED: CASING INSTALLED: Threaded Welded 56 Welded 70 ft. to 110 ft. Gage •2 (12) WELL LOG: Diameter of well below casing Depth drilled ft. Depth of completed well ......" Diam, from ...... ft. to ..... ft. Gage Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in 6) PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? 🗌 Yes 🕱 No. of perforator used MATERIAL From SWI. Size of perforations 0 in. by Top soil 2 Clay brown 21 ..... perforations from ...... ft. to ..... ft. 21 Clay blue 27 ...... perforations from ...... ft. to ..... ft. 27 Clay sand brown fine 39 ...... perforations from ...... ft. to ..... ft. 39 Sand brown fine 45 (7) SCREENS: Well screen installed? 

Yes Clay blue Manufacturer's Name ..... Chay sand brown fine 63 Sand brown fine Diam. ..... Slot size ..... Set from .... ft. to .... ft. Sand gravel brown fine 87 Diam. ..... Slot size ...... Set from ..... ft. to ..... ft. Clay blue 114 Sand brown fine 114 115 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Gravel med. 118 Was a pump test made? TYes I No If yes, by whom? Driller gal./min. with 6 ft. drawdown after 12 hrs. Yield: gal./min. with Bailer test ft. drawdown after Artesian flow g.p.m. mperature of water Depth artesian flow encountered ..... ft. 2-18 1976 2-19 Completed Work started 2-20 Date well drilling machine moved off of well **CONSTRUCTION:** Cement Drilling Machine Operator's Certification: Well seal-Material used ...... This well was constructed under my direct supervision. Well sealed from land surface to ..... Materials used and information reported above are true to my best knowledge and belief. Diameter of well bore to bottom of seal 10 Date 2-20 19 76 Diameter of well bore below seal ... Number of sacks of cement used in well seal .. Drilling Machine Operator's License No. 837 Number of sacks of bentonite used in well seal ..... Brand name of bentonite ..... Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
William D Caristenson Jr. Was a drive shoe used? 🔁 Yes 🗌 No Plugs ........... Size: location ......... ft. Did any strata contain unusable water? 🗌 Yes ᢏ No (Type or print) Type of water? depth of strata Address Method of sealing strata off Was well gravel packed? Yes No Size of gravel: ..... (Water Well Contractor) Contractor's License No. 511 Date ....