WATER WELL CONTRACTOR The original and first copy WATER WELL REPORT of this report are to be filed with the STATE OF OREGON G F F State Well No. 2 STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion. State Permit No. ... (Do not write above this line) 0 1070 SAME AS LOG IN SEC NOTE (1) OWNER: (10) LOCATION OF WELL: 32 55/1 & County Clackanas Driller's well number Lyle Landsen Address Rt.2 Box 215, Woodburn, Oregon 14 Section Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): 1900 'W.&200' of S.W. cor. of sec. 32.T.5 S.,-New Well 「¥ Deepening | Reconditioning | R.1 W. Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven 🗀 Domestic Industrial Municipal ft. below land surface. Date 8/18/70 Cable Jetted 🛚 Static level Dug $\bar{\Box}$ Bored | Irrigation 🍱 Test Well 🗌 Other Artesian pressure lbs. per square inch. Date XX CASING INSTALLED: Threaded | Welded A (12) WELL LOG: " Diam. from 1+ ft. to 182 ft. Gage 250 Diameter of well below casing ... Depth drilled 300 ft. Depth of completed well" Diam. from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials;" Diam. from ft. to ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Yes 7 No. pe of perforator used MATERIAL Size of perforations in. by Top soil- brn.-1 perforations from ft. to ft. Clay-brn.-18 perforations from ft. to ft. Med.conglom., brn., W.B. 33 perforations from _____ ft. to _____ ft. Clay- brn.-33 Lile Clay- grey-44 148 (7) SCREENS: Well screen installed? ☐ Yes ☐ No Med conglom grey-148 154 Manufacturer's Name Clay-grey-154 164 Model No Clay- yellow-164 170 Diam. Slot size Set from ft. to ft. Fine-sand-grey- W.B. 170 176 Diam. Slot size Set from ft. to ft. Hard sandstone, grey-300 Water coming from 185'to 300') (8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? 💆 Yes 🔲 No If yes, by whom? gal./min. with 112 ft. drawdown after 4 hrs. Bailer test gal./min. with ft. drawdown after Artesian flow rature of water Depth artesian flow encountered ft. Work started 8/3/70 19 Completed Date well drilling machine moved off of well (9) CONSTRUCTION: Bentonite Well seal-Material used Drilling Machine Operator's Certification: 180 Well sealed from land surface to Diameter of well bore to bottom of seal 12"to 20' & 10" to 180' Diameter of well bore below seal ______ 8 in. (Drilling Machine Operator) Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal

Quik jell Drilling Machine Operator's License No.84 Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? 🗌 Yes 🂆 No Plugs Size: location ft. Name R. Stadeli & Sens Did any strata contain unusable water? 🗌 Yes 💆 No (Type or print) (Person, firm or corporation) Rte., 3, Box 169, Silverton, Ore. 97381 Type of water? XX depth of strata Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from _____ ft. to ____

(Water Well Contractor)

Contractor's License No. 296 Date