CLAC State Well No. 5/1-4E |

STATE OF OREGON

SALEM, OREGON	,000	GISIS State Permit No.		
(1) OWNER: STATE ENGINEER		(11) WELL TESTS: Drawdown is amount water level is lowered below static level		
	KEGCA	Was a pump test made? Zes No If yes, by whom		
Address 17 2 - 13 01 348-A		Yield: 156 gal./min. with 52 ft. drawdow	m after &	f hrs.
CANBY, ORFGON		" "		
(2) LOCATION OF WELL:);		**
County Clacka Mas Owner's number, if any—		Bailer test gal./min. with ft. drawdow	n after	hrs.
S W 1/4 N W 1/4 Section 4 T. 5. 5 R. 1. E. W.M.		Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner		Temperature of water 33 Was a chemical analysis ma	ade? 🗌 Ye	s ⊈⊸No
194'S END 176' CONNEY OF S.W. 40F O	* 1	(12) WELL LOG: Diameter of well Depth drilled 34 ft. Depth of completed w Formation: Describe by color, character, size of materic show thickness of aguifers and the kind and nature of	rell / 30 al and struc the materia	ture, and
		stratum penetrated, with at least one entry for each c	FROM	TO
(0)			100	* 3
(3) TYPE OF WORK (check):		Top soil & Browneldy	23	211
New Well Deepening Reconditioning Abandon		19/00 6 (19)	24	27
If abandonment, describe material and procedure in Item 11.		12/11 2/2/	12.7	77 6
PROPOSED USE (check):	(5) TYPE OF WELL:	92201111	7 6	<u> </u>
Domestic Industrial I Municipal I	Rotary Driven	Sand 4 gravel	7.7	36
Irrigation Test Well Other	Cable Jetted 🗆	13166 (10)	80	116
imigation [] rest went [] Outer []	Dug 🗌 Bored 🗎	Sand & gravel	1/6	11/1
(6) CASING INSTALLED: Threaded Welded		13/42 (10)	177	129
© "Diam. from C ft. to 134 ft. Gage		Sand & Gravel	127	121
"Diam. from		Blegreen (184	127	154
			1	
			 	
(7) PERFORATIONS: Perforated?			· -	
Type of perforator used STOr			1	
SIZE of perforations 3/8 in. by //2 in.			 -	
75 perforations from 75	n to Se nt		-	
H 5 perforations from 1/6 ft. to 1/9 ft.				
6 C perforations from 125 ft. to 129 ft.				
perforations from			1	
perforations from ft. to ft.			-	
(8) SCREENS: Well screen	installed ☐ Yes E-No			
Manufacturer's Name				
Type				
n				
Slot size Set from ft. to ft.		Work started 19 . Completed	17,-	سرور
				
(9) CONSTRUCTION:	-a of amorrol:	(13) PUMP: Manufacturer's Name 54mc		
Was well gravel packed? Yes Two Size of gravel:			<u> </u>	14 :-
Gravel placed from		Type: Sulmersel-1-	н.р	<u> </u>
Was a surface seal provided? $\ \square$ Yes $\ \square$ No $\ $ To what depth? ft. Material used in seal—		Well Driller's Statement:		
Did any strata contain unusable water? Yes No		This well was drilled under my jurisdiction and this report is		
Type of water? Depth of strata		true to the best of my knowledge and belief.		
Method of sealing strata off		NAME Bock Well Dru	1117-9	
MAN THE THEFT OF		(Person, firm, or corporation) (Type or print)		
(10) WATER LEVELS:		Address Atg Bax 45 Colhay Com		
Static level 34 ft. below land surface Date 9-7-3)			,	
Artesian pressure lbs. per square inch Date		Driller's well pomber		
Log Accepted by	,	[Signed] John W Bee	K	
[Signed] (Str.) E Motorete 8/29, 1960		(Well Deller)	26	., 19 <u>60</u>