The original and first of this report are to filed with the WAR - 0 1971 STATE OF OREGON	
within 30 days from Share I ENCINE (Please type of well completion. SALEM. OF COMPLETED OF WITH A SALEM.	1 A A A A A A A A A A A A A A A A A A A
(1) OWNER:	(10) LOCATION OF WELL:
Name Rev De WHICHN	County CLACK MAS Driller's well number
Address Box 1125 MISSOULF, MINT.	14 14 Section 9 T. 55 R. 1 W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 7 2 ft.
Rotary Driven Domestic Industrial Municipal Cable Jetted D	Static level 25 ft. below land surface. Date 2/13/71
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded [] Welded	(12) WELL LOG: Diameter of well below casing
in Diam. from D ft. to 12 ft. Gage 125	Depth drilled 72 ft. Depth of completed well 72 ft.
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated,
Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
	MATERIAL From To SWL
Type of perforator used Size of perforations in. by in.	BROWN SANDY SOLL O 10
Size of perforations in. by in. perforations from ft. to ft.	AUNNY FAND WB 10 15
perforations fromft. toft.	BROWN CLAY 15 20
perforations from ft. toft.	9RAY C/AY 20 30
	Blue CHAY 30 70
(7) SCREENS: Well screen installed? Yes No	SMALL GRAVEL WA 70 72 337
Manufacturer's Name Model No	
Diam. Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" "	
" " "	
Bailer test 60 gal./min. with 8 ft. drawdown after 2 hrs.	
Artesian flow g.p.m.	
mperature of water Depth artesian flow encounteredft.	Work started 2/12 197/
(9) CONSTRUCTION:	Date well drilling machine moved off of well 2/13 197
Well seal-Material used BENT a NITE	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal	host knowledge and helief
Diameter of well bore below seal	[Signed] Marve P. Jackman Date 2/27, 19.7/
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No
Number of sacks of bentonite used in well seal 45 sacks	
Brand name of bentonite CewtBAL OREGON Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	
Did any strata contain unusable water? Yes 🗆 No	Name (Person, firm or corporation) (Type or print)
Type of water? Sunface depth of strata	Address At Mush Mush Mush Mush Mush Mush Mush Mush
Method of sealing strata off CASING + BENTONITE	[Signed] Joseph Bladyna (Water Well Contractor)
Was well gravel packed? Tes Yes You Size of gravel:	Contractor's License No. 537. Date 2/27 1971
Gravel placed from ft. to ft.	Contractor's License No