The original and first opy. of this report are filed with the state of the state o

ATER WELL REPORT

CLAC 02536 Well No.

State Permit No.

-17cac

NOTICE TO WATER WELL CONTRACTOR

The original and first opy.

of this report are filed with the JUN 2 1969 STATE WELL REPOR STATE OF OREGON

STATE ENGINEER, SALEM OREGON 97310 (Please type or print) within 30 days from an date of the contract of the contract of well completion of well completion of the contract of th

(1) OWNER:	(11) LOCATION OF WELL:			
Name Steve GERMANY	County CLACKAMAS Driller's well number 3			
Address Rt. 1 Hubband	14 14 Section / 7 T. 5 S R. / E W.M.			
	Bearing and distance from section or subdivision	n corner	-	
(2) TYPE OF WORK (check):				
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well b	elow cas	ing 6	IN.
Rotary □ Driven □ Domestic ☑ Industrial □ Municipal □	Depth drilled 200 ft. Depth of comple	eted well	200	ft.
Dug Bored Irrigation Test Well Other	Formation: Describe color, texture, grain size	and struc	ture of m	aterials;
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratus with at least one entry for each change of form			
6 " Diam. from 1 1 ft. to 180 ft. Gage 250	in position of Static Water Level as drilling pro			
	MATERIAL	From	То	swL
	BROWN SANDY topsoil	0	≠ 2	
PERFORATIONS: Perforated? ☐ Yes ☒ No.	BROWN SANGY CLAY	2	40	
Type of perforator used	BROWN dry SANd	40	76	
Size of perforations in. by in.	TAN CLAY	76	84	
	BROWN SANCL	84	93	
perforations from ft. to ft.	BLUE SANDY CLAY	93	140	
perforations from ft. to ft.	BROWN SANDY CLAY	140	147	
perforations fromft. toft.	BLUE CLAY - STICKY	147	172	
perforations from ft. to ft.	BLACK SAND & BLUE CLAY	181	181	
(#) CODERING	Blue Clay Stickey	195	200	
(7) SCREENS: Well screen installed? Yes No				
Manufacturer's Name				
Type				
Diam. Slot size Set from ft. to ft.				
				_ , -
(8) WATER LEVEL: Completed well.				
Static level 30 ft. below land surface Date 5-21-69				
tesian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Wes I No If yes, by whom? DRILLER	Work started App May 1 1969 Complet	- M		10/8
ield: 100 gal./min. with 80 ft. drawdown after 20 hrs.			7	19 69
" " "	Date well drilling machine moved off of well	YAY!	77	19 6 9
" " " "	Drilling Machine Operator's Certification:			
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my di rials used and information reported above	rect sup ve are t	ervision. rue to r	ny best
Artesian flow g.p.m. Date	knowledge and belief.	- A.	• •	
Temperature of water 54 ° Was a chemical analysis made? [] Yes . 🛚 No	[Signed] (Drilling Machine Operator)	Bate	MAY Z	1 19.69
(10) CONSTRUCTION:		.5	20	
Well seal-Material used Puddle Clay	Drilling Machine Operator's License No		<u> </u>	
Depth of seal 40 ft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief. NAME WILLIAM D. Christenson			
Was a drive shoe used? ☐ Yes 🖄 No	NAME WILLIAM D. CHRISTENSON (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water? 🗌 Yes 💆 No	Address P.O. Box 343 Hubbard			
Type of water? depth of strata	- Address Language Address Add			
Method of sealing strata off	[Signed] Lel Gount (this that ou North			
Was well gravel packed? [] Yes 7 No Size of gravel:	(Water Well Contrac		-6-	
Gravel placed from the fit to the fit	Contractor's License No. 5// Date	MAU	21	19 69