NOTICE TO WATER WELL CONTRACTOR The original and first course of this report are to be provided with the DEC 2 2 1972 STATE OF OREGON (Places type or print) State Well No. 55/1E-18ca STATE OF OREGON CI STATE ENGINEER, SALEM, OREGON 97310 ENGINEER ase type or print) within 30 days from the plate-1 TE ENGINEER State Permit No. of well completion. SALEM OF: 2010 not write above this Ine 2546 G6841 (10) LOCATION OF WELL: (1) OWNER: Name R. Johnson CLackamas Driller's well number Address 1341 West Haves Apart. #4 1/4 Section /8 T.55 R. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening . Reconditioning Abandon 🗌 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found □ Driven □ Rotary Domestic Industrial | Municipal | ft. below land surface. Date //-20-72 Static level Cable Jetted 🔲 Irrigation | Test Well | Other Dug Bored | Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing 6 " Diam, from 0 ft. to 50 ft. Gage 250 Depth drilled ft. Depth of completed well " Diam. from _____ ft. to _____ ft. Gage ____ Formation: Describe color, texture, grain size and structure of materials;" Diam. from ft. to ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Yes No. pe of perforator used MATERIAL Size of perforations in. by Brown Krown perforations from ______ft. to _____ft. 38 Lay Brown Brown ft. to ft. WITH STrips of Clay Brown (7) SCREENS: Well screen installed? ☐ Yes No 50 Char yellousi Brown Manufacturer's Name Brown Water Bearing Diam. Slot size Set from Diam, Slot size Set from ft. to Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?

Yes No If yes, by whom? gal./min. with ft. drawdown after hrs. Bailer test 50 gal./min. with // ft. drawdown after g.p.m. 19- 19 72 Completed 11-20-1972 perature of water 55 Depth artesian flow encounteredft. Date well drilling machine moved off of well (9) CONSTRUCTION: Benlonite Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief Diameter of well bore to bottom of seal . end belief Out (Drilling Machine Operator) [Signed] Dobest 2 Date /2 - 18 1972 Number of sacks of cement used in well seal Drilling Machine Operator's License No. 776 Number of sacks of bentonite used in well seal Brand name of bentonite Oregon Brand Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is of water 200 true to the best of my knowledge and belief. Was a drive shoe used? Ves DNo Plugs Size: location ft. Did any strata contain unusable water?

Yes Type of water? depth of strata Method of sealing strata off (Water Well Contractor) Was well gravel packed?
Yes No Size of gravel: Contractor's License No. 533 Date 2 197