allegent of both wish water Well REPORT OBSERVATION WELL

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE OF OREGON G715

5/1~18F(1)
State Well No. G 63 ©
State Permit No. G 63 ©

(1) OWNER: Name Warren Bremen	(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Fres No If yes, by whom?	· /-
Address Rt / Bay 176 (02000)	Yield: 130 gal./min. with 1/0 ft. drawdown after 24	fo hrs.
Hubbard One.	" " "	,,
(2) LOCATION OF WELL:	Trille Aut	
County (ARRAMITS Owner's number, if any—	Bailer test gal./min. with ft. drawdown after Artesian flow 5 g.p.m. Date Pez iH	60
1/4 1/4 Section T. R. W.M.	Temperature of water 5 3 Was a chemical analysis made?	
Bearing and distance from section or subdivision corner	2 1/ - 2	
	1 7 7	. inches.
	Depth drilled 435 ft. Depth of completed well 426	
	Formation: Describe by color, character, size of material and struct show thickness of aquifers and the kind and nature of the material stratum penetrated, with at least one entry for each change of for	rmation.
	MATERIAL FROM	TO
(3) TYPE OF WORK (check):	Origonal depth 90 Ft.	01
New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 11.	go forel of fine gand 90	96
de de la constitución de la cons	Grav Clau 140	OUD
PROPOSED USE (check): (5) TYPE OF WELL:		260
Domestic Industrial Municipal Rotary Driven Cable Jetted	Darke Blus Clav 260	280
Irrigation Test Well Other Dug Bored	Fine gand (Some water) 280 3	290
(c) CACING INCHALLED.	119ht Blue Clay 290	320
(6) CASING INSTALLED: Threaded Welded ## Welded	Darke Blue Clay with Brown	
"Diam. from ft. to ft. Gage ft. Gage		410
" Diam. from ft, to ft. Gage		120
	Fine fand (soft sand stone) 425	125
(7) PERFORATIONS: Perforated? ☐ Yes ☐ No	Fine Jana (soft sand stone 427 a	7.3.2.
Type of perforation used SIZE of perforations /4 in. by /2 in.		
7,50 perforations from 6.7 ft. to 9.5 ft.		,
2 2 5 perforations from 1 8 ft. to 195 ft.		····
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed ☐ Yes ☑ No		
Manufacturer's Name		
Type Model No		
Slot size Set from ft. to ft.		
D. A. Slot size Set from ft. to ft.	Work started Sept 1960 Completed Dec	19 6
(9) CONSTRUCTION:	(13) PUMP:	
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	Manufacturer's Name	
Gravel placed from ft. to ft.	Type: Turkin H.P. 10	
Was a surface seal provided? Yes No To what depth? ft.		
Material used in seal— Did any strata contain unusable water? □ Yes ÉÑo	Well Driller's Statement:	
Type of water? Depth of strata	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Method of sealing strata off	·	
(10) WATER LEVELS.	NAME John W Bech Weilfrifling (Person, firm, or corporation) (Type or print)	
(10) WATER LEVELS: Static level /-/04/25 ft. below land surface Date	Address 1873 Box 45 Canty	
Artesian pressure 1/2 lbs. per square inch Date 17ec 14.60	1101	
Log Accepted by: [Signed]/Wallen Blank Date Dec. 16	[Signed] Hollier)	
[Signed] Waller Date Lic. 6, 19/00	License No. 25 Date 12-14,	1960