

NOTICE TO WATER WELL CONTRACTOR

The original and two copies of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

CLAC 02638

STATE OF OREGON (Please type or print) (Do not write above this line)

RECEIVED

OCT 20 1976

Well No. 55/12-50-149

State Permit No. Clackamas Co.

(1) OWNER:

Name C. J. Vandecouvering Address Rt. 2, Box 38, Woodburn, Ore. 97071

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [X]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Cable [] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded []

" Diam. from ... ft. to ... ft. Gage ...

PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used

Size of perforations in. by in. perforations from ... ft. to ... ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name Type Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom? Field: gal./min. with ft. drawdown after hrs.

(9) CONSTRUCTION:

Well seal—Material used Well sealed from land surface to Diameter of well bore to bottom of seal Diameter of well bore below seal Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 gallons of water Was a drive shoe used? [] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL: well (#2)

County Marion Driller's well number 7612 1/4 Section 30 T. 5S R. 1E W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft. Static level ft. below land surface. Date Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled 505 ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Content: See sheet attached

Sealed w/ puddled clay top to bottom

Work started 9-24 19 76 Completed 9-29 19 76 Date well drilling machine moved off of well 9-29-76 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Stephen J. Schneider Date 10-23, 1976 (Drilling Machine Operator)

Drilling Machine Operator's License No. 1090

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Schneider Equipment, Inc. (Person, firm or corporation) (Type or print)

Address Star Rt., Box 97, St. Paul, Ore. 97

[Signed] Mike Schneider (Water Well Contractor)

Contractor's License No. 387 Date 10-23, 1976

C. J. Vandecorring

7612

Material	From	To
Top soil	0	20
Clay, reddish brown	20	23
Clay, gray	23	25
Clay, green sandy pea size rock	25	31
Clay, light brown	31	34
Rock, red	34	37
Gravel, rusty red w/ brown coarse sand	37	39
Sand, brown coarse w/ pea gravel red rusty	39	43
Sand, reddish brown coarse	43	46
Clay, brown	46	51
Clay, rusty silty	51	54
Clay, brown sandy	54	58
Clay, rusty brown sandy	58	60
Clay, brown sandy	60	64
Clay, gray silty	64	69
Clay, green sandy coarse	69	77
Clay, gray silty w/ brown streaks	77	87
Clay, brown & gray silty	87	93
Clay, gray	93	97
Clay, gray sandy	97	99
Clay, gray & brown mixed	99	103
Clay, brown silty	103	111
Clay, gray	111	115
Sand, gray black coarse last 12" other medium	115	119
Clay, gray gritty	119	124
Sand, gray fine-medium	124	126
Clay, gray hard	126	131
Clay, gray grit	131	143
Clay, gray medium	143	147
Clay, gray silty	147	150
Clay, gray-green medium	150	153
Clay, gray medium	153	155
Clay, gray sandy	155	158
Sandstone, black (cemented sand)	158	160
Clay, brown hard cemented silty	160	162
Cemented sand, black medium	162	168
Sandstone, black hard	168	170
Sandstone, dark brown hard fine grain	170	174
Clay, gray soft	174	176
Clay, gray medium	176	186
Clay, gray silty	186	189
Clay, brown silty	189	194
Clay, gray hard	194	198
Clay, gray medium	198	206
Clay, blue-gray medium	206	222
Clay, blue silty	222	225
Clay, green medium	225	227
Clay, gray medium	227	233
Clay, green medium	233	236
Clay, gray medium soft	236	258
Clay, blue medium	258	266
Clay, green medium	266	268
Clay, gray medium soft	268	277
Clay, gray hard	277	280

C. J. Vandecoewring

7612

Material	From	To
Top soil	0	20
Clay, reddish brown	20	23
Clay, gray	23	25
Clay, green sandy pea size rock	25	31
Clay, light brown	31	34
Rock, red	34	37
Gravel, rusty red w/ brown coarse sand	37	39
Sand, brown coarse w/ pea gravel red rusty	39	43
Sand, reddish brown coarse	43	46
Clay, brown	46	51
Clay, rusty silty	51	54
Clay, brown sandy	54	58
Clay, rusty brown sandy	58	60
Clay, brown sandy	60	64
Clay, gray silty	64	69
Clay, green sandy coarse	69	77
Clay, gray silty w/ brown streaks	77	87
Clay, brown & gray silty	87	93
Clay, gray	93	97
Clay, gray sandy	97	99
Clay, gray & brown mixed	99	103
Clay, brown silty	103	111
Clay, gray	111	115
Sand, gray black coarse last 12" other medium	115	119
Clay, gray gritty	119	124
Sand, gray fine-medium	124	126
Clay, gray hard	126	131
Clay, gray grit	131	143
Clay, gray medium	143	147
Clay, gray silty	147	150
Clay, gray-green medium	150	153
Clay, gray medium	153	155
Clay, gray sandy	155	158
Sandstone, black (cemented sand)	158	160
Clay, brown hard cemented silty	160	162
Cemented sand, black medium	162	168
Sandstone, black hard	168	170
Sandstone, dark brown hard fine grain	170	174
Clay, gray soft	174	176
Clay, gray medium	176	186
Clay, gray silty	186	189
Clay, brown silty	189	194
Clay, gray hard	194	198
Clay, gray medium	198	206
Clay, blue-gray medium	206	222
Clay, blue silty	222	225
Clay, green medium	225	227
Clay, gray medium	227	233
Clay, green medium	233	236
Clay, gray medium soft	236	258
Clay, blue medium	258	266
Clay, green medium	266	268
Clay, gray medium soft	268	277
Clay, gray hard	277	280